

©2013 The Institute of Mind and Behavior, Inc.  
 The Journal of Mind and Behavior  
 Winter 2013, Volume 34, Number 1  
 Pages 91–100  
 ISSN 0271–0137

# The Journal of Mind and Behavior

---

Vol. 34 No. 1  
 Winter 2013

## The Flow of Time as a Perceptual Illusion

Ronald P. Gruber

*Stanford University Medical Center*

Richard A. Block

*Montana State University*

This article discusses theories and evidence on the flow of time as a perceptual illusion. The flow of time is said to be a stubborn illusion, although it has never been experimentally verified. There is a high-level flow of time (the experiential phenomenon of the past, present, and future), as well as a low-level flow of time, *happening*, which includes spatial change (motion). The hypothesis is that the latter, happening, component of the flow of time is a perceptual illusion. Previous research reveals that motion perception occurs in discrete processing epochs, frames, or snapshots. Apparent motion is painted onto each snapshot, and motion is not experienced because of a change in position between two consecutive snapshots but is represented within a single snapshot. When people view video scenes of a walking man and toasting bread with a wide range of interstimulus intervals, fewer of them could “see it happening” as the interstimulus interval was increased. This suggests that happening, whether involving a color change or a motion, is a frequency-dependent percept. It can be eliminated, for example, by choosing the appropriate stimulus frequency. The low-level component of the flow of time is therefore a perceptual illusion.

Keywords: time, time perception, flow of time, percept, illusion

Einstein said that “the past, present and future are only illusions, even if stubborn ones,” that create a (false) impression that time is flowing (Davies, 2002, p. 41). However, no experimental evidence supports that contention. Before investigating the hypothesis that the flow of time is an illusion, we shall examine what is meant by “flow of time,” a phenomenon which has been discussed in detail by

---

We gratefully acknowledge the advice of Stuart Anstis at the inception of this research project and again following completion of the manuscript. We are also grateful to Harry Foundalis, who provided important commentary and suggestions. This article is based on a plenary talk presented at the meeting of Toward a Science of Consciousness, Tucson, Arizona, April 2012. Correspondence concerning this article should be addressed to Ronald P. Gruber, M.D., Stanford University Medical Center, Stanford, California 94305. Email: rgruberm@hotmail.com

Foundalis (2008), Hameroff (2003), Penrose (1989) and Smart (1980). It appears that the sense that time is flowing may be a more complicated phenomenon than is generally thought. There are actually two components to the flow of time (Davies, 1996) that should be distinguished. The commonly used expression, “flow of time,” refers to the experiential phenomenon of events seeming to move from the future into the present and then into the past, a moving present that seems to flow like a river, hence the term (Segal, 2004). The experimental phenomenon of a moving present is what we will refer to as a high-level component of the flow of time. We use the term “high level” because as an experiential phenomenon it involves a somewhat higher (more complicated) cognition.

The high-level flow of time is in contradistinction to what we refer to as a low-level flow of time — the experiential phenomenon one receives from perceptual encounters such as spatial change (motion), color change, and auditory change. The low-level flow of time involves a less complicated perception, similar to that of fundamental or primary sensations. An exploding volcano is a low-level example. It involves the perception of change for three sensory modalities (the movement of the lava, the changing sky color, and the sound of the explosion). We focus on the low-level flow of time in this article, and it is the component that we hypothesize to be a perceptual illusion.

To clarify the meaning of the low-level flow of time, Gibson (1975) argued that “a sequence of external stimuli . . . provide[s] a *flow of change*, and it is this we perceive rather than a flow of time as such” (p. 299). He added that “the observer perceives both what is altered and what remains unaltered in the environment” (p. 298). Park (1999) agreed, suggesting that “discussions of time become more clear if one drops the word ‘time’ entirely and substitutes one of the words ‘event’ or ‘change’” (p. 20). Block (1998) expanded Gibson’s argument and claimed that successive changes of events provide a source for the common spatial representation of the flow of time, “a straight line being steadily drawn in one direction” (p. 120). All three theorists seem to agree that avoiding the word “time” makes it easier to understand what is meant by the flow of time. At the very least, the expression “flow of time” is best replaced with the expression “flow of events.”

However, there is a caveat. Participants in our studies (Gruber and Block, 2012) had difficulty expressing their perception when they were required to use phrases like flow of time or flow of events. Empirically, we found that the best term was *happening* (e.g., “Yes, I could see it happening. I sensed his motion”; or “No, I could not see it actually happening. But the individual slides told me he must have gone from one side to the other.” Happening is a percept not only for spatial change but color and sound change as well.

Advocates of the notion that happening (the low-level flow of time) is an illusion include most post-Einstein physicists (Barbour, 1997, 2000; Greene, 2005). This is because the block universe theory of Einstein (Davies, 2002) suggested

that the universe is in essence a four-dimensional spacetime manifold, a universe consisting of slices of spacetime and one in which all of the events within each slice are said to be *just there*. However, the notion that events are just there does not mean that an observer should be able to perceive them simultaneously. At any point in time, the theory expects an observer to experience an event and also the memory of a past event. The next point in spacetime should result in a similar experience but without a special connection, a flow or a happening attributable to the adjacency of two events. More specifically, there is no need to account for the experiential phenomenon of motion in this well-accepted theory. A few theorists advocate the notion that the classic interpretation of the block universe theory is not correct. On the basis of chaos theory and irreversibility principles, Prigogine (1980) suggested that the subtle physics of irreversible processes make the flow of time an objective aspect of the world — not an illusion. In his spacetime dynamics theory, Elitzur (1991, 1996) argued much the same, as did Ellis (2008), that spacetime “grows” in the future direction.

#### *Illusions and Happening*

Anstis (2009) [see also Gregory, 1991; Zakay, 2009; Zakay and Bentwich, 1997] reviewed the meaning of the term “illusion.” The simplest way to know if a percept is an illusion is whether or not it contradicts any laws of physics. In the event that is not possible, one must look towards the characteristics of illusions. An illusory percept, unlike the percept of external stimuli, is one that if removed or eliminated, no consequence (such as the loss of incoming information) should result.

The present hypothesis is that happening (the low-level flow of time) is a perceptual illusion. Therefore, to assess the validity of that hypothesis one should be able to demonstrate that (1) happening can be eliminated (i.e., Einstein’s illusion is not all that stubborn), and (2) when eliminated, the percept of happening is irrelevant.

#### *Happening for Spatial and Color Events*

Noting that the illusion of the phi phenomenon is stimulus frequency-dependent (Steinman, Pizlo, and Pizlo, 2000) in that it exists only at certain frequencies, we decided to determine whether or not happening is also a frequency-dependent percept. If it is, perhaps it is an illusion similar to the phi phenomenon. Specifically, we decided to determine the effects of major stimulus frequency alterations on the low-level flow of time (happening) for both spatial and color stimuli as a test of the hypothesis (Block and Gruber, in press; Gruber and Block, 2012). In these experiments, video scenes of a walking man and bread turning brown in a toaster, using interstimulus intervals of 0.5, 3.0, and 7.0 s, were shown

to participants.<sup>1</sup> Participants judged whether or not they could see motion of the walking man and the toast changing color. More specifically, they had to judge whether the events (walking or toasting) had actually “happened” or those that “must have happened.”

As the interstimulus interval increased, fewer participants experienced happening. Specifically, at an interstimulus interval of 0.5 s, most participants in the walking and toasting conditions responded with “happening.” At an interstimulus interval of 7.0 s, many fewer participants in both conditions responded with “happening.” What is important is that as the interstimulus interval increased beyond a critical level, the “flow of events” reverted to a “sequence of events” (cf. Gibson’s [1975] sequence of external stimuli). Events became relatively static. Moreover, participants in the study perceived all relevant information from observation of the walking man, such as duration between stimuli and their chronology. Because the percept of happening (e.g., motion) could be eliminated without losing any relevant visual information, these results suggest that the flow of events (happening) is a frequency-dependent perceptual illusion.

#### *Change Detection and Motion Perception*

Similar results have been found by others, although their interpretations differed. Instead of using the term happening, some researchers use the term *change detection*, in particular, dynamic change versus completed change (for a review, see Rensink, 2002). Using an informal flicker paradigm, Hollingworth (2008) presented participants with one visual scene (for a duration of 250 ms) immediately followed by another (of that duration) that was slightly different (e.g., absence of a chimney that was previously present), while varying the interstimulus interval (200 ms, 1000 ms, or 5000 ms). Participants reported having a strong impression of “seeing the change occur” at 200 ms, a weaker impression at 1000 ms, and no impression of seeing the change occur at 5000 ms. Nakashima and Yokosawa (2012) basically replicated Hollingworth’s experiment, and our results show similar decrements with progressively increasing interstimulus intervals but a shift to longer interstimulus interval values — perhaps because we used real life situations and asked specifically if motion was sensed.

<sup>1</sup>In our experiment (Block and Gruber, in press), ten frames were played, each for 100 ms, with an interstimulus interval between frames (stimuli) of 0.5, 3.0 and 7.0 s. In the case of the experiment involving a walking man, participants were asked to answer either: A — “Yes, I could see it happening. I sensed his motion across the parking lot”; or B — “No, I could not see it actually happening or sense his motion. But the individual slides told me he must have gone from one side to the other.” In the case of the experiment involving toasting, participants were asked to answer either A — “Yes, I could see it actually happening. I saw it become toasted”; or B — “No, I could not see it actually happening. But the individual slides told me it must have become toasted.”

Two studies examined motion perception at longer interstimulus intervals. Palmer (1986) presented participants with two points of light for 1.0 s and then after a variable delay (up to 8.0 s) moved one of the points of light to the side. Participants did not report movement beyond delays of 200 ms. Bex and Baker (1999) used moving arrays of textured micropatterns. In their pilot study, displacement of a single patch (at an interstimulus interval of 1.0 s) was not accompanied by the subjective appearance of movement. Our study (Block and Gruber, in press) importantly differs from theirs in that they involved multiple, sequential stimuli of complex biological scenes. It appears that the percept of motion is easier to elicit from multiple episodic events.

There are other examples in which interstimulus interval manipulation generates illusory percepts. As the interstimulus interval is altered for illusory element motion, it is replaced by group motion (Scott-Samuel and Hess, 2001). On a more familiar level, time-lapse photographers recognize that the stimulus duration has to be reduced to a critical level before a budding flower comes alive, becomes dynamic, and happens. Thumbing through a flipbook also results in a dynamic motion of the scene when the critical rate (stimulus duration) is reached.

#### *Illusions and Continuous Motion*

To further appreciate the fact that happening is frequency-dependent, we contrast the above results to the illusory percept of continuous motion by discrete sampling (Crick and Koch, 2003, 2007; VanRullen and Koch, 2003; VanRullen, Reddy, and Koch, 2010). The wagon-wheel illusion is perhaps the best experimental example. If the wheel is viewed in continuous (not stroboscopic) light and the rotation rate is increased, a speed is reached in which the wheel appears to turn in reverse. This phenomenon suggests that the brain undergoes a visual sampling rate of approximately 13 Hz. Koch (2004) suggested that motion is painted onto each snapshot, and that motion is not experienced because of a change in position between two consecutive snapshots. In essence, the brain creates an illusion of continuous motion. However, the wagon-wheel experiment does not prove that continuous motion does not actually occur. Even if it was a percept that could be eliminated, the percept of continuous motion is not irrelevant in the experiment: it is a percept that provides necessary information about the stimulus (the wheel location at any point in time).

The illusion from discrete sampling resembles the illusion that provides richness to our visual world when our vision is interrupted by saccades (Blackmore, Brelstaff, Nelson, and Troscianko, 1995). In addition, the discrete temporal sampling rate (13 Hz) is close to the predicted rate of discrete conscious events in the Penrose-Hameroff model for what the researchers called orchestrated objective reduction (Orch OR), which is estimated at 40 Hz in some cases (Hameroff, 2001; Woolf and Hameroff, 2001).

### *The Illusion of Music*

One other related frequency-dependent illusion is an auditory one — music. Although commonly thought of as a quale (Gregory, 1998; for a review of qualia see Duch, 2005), music is a superimposition of a non-informational illusory percept on an underlying stimulus complex. It is a superimposed aesthetic percept on the physical perception of the auditory stimuli (e.g., pitch, frequency, and volume). Music is also a frequency-dependent percept. Consider the four most recognized musical notes from Beethoven's Fifth Symphony. Anyone who has participated in a symphony orchestra, and who has played those four notes at progressively increasing intervals between them, knows that when one reaches an interval of 4.0 s between notes, Beethoven's Fifth Symphony is no longer identifiable to many listeners and does not even sound like music.

Some patients suffer a disorder involving a deficit in musical memory and recognition despite normal hearing, a condition referred to as amusia. A few of these amusia patients, when listening to a symphony, may hear all the sounds (pitch, frequency, and volume) that emanate from the musical instruments but simply do not experience music (Sacks, 2007). Clearly, music is irrelevant for auditory information purposes. Unlike other qualia (e.g., color which is not irrelevant for information purposes), music is also a perceptual illusion. As mentioned above, happening includes spatial change (motion), color change, and auditory change. Music is an example of an auditory change that happens to be a superimposed perceptual illusion. In that sense it is very much related to the illusory percept of motion.

### *Specious Present*

The specious present (Block, 1979; Gruber, 2008; Kinsbourne and Hicks, 1990; Ruhnau, 1997), often referred to as the *now*, has a duration that is ill-defined but is about 3.0 s for many perceptual phenomena (Pöppel, 1985, 1997), shorter than the original estimate of 6.0 s by William James (1890). Our pilot studies were done initially with an interstimulus interval of 3.0 s because it was suspected that as a result of by-passing the *now* (presenting the second stimulus more than 3.0 s after the first) the stimulus would become a relatively old memory.

We conjectured that upon retrieval of that older lower-density memory, to compare it to a more recent higher-density memory, the brain would likely not be able to superimpose an illusory percept upon the older, lower-density memories. Our finding that the happening percept was more completely lost at the 7.0 s interstimulus interval than at 3.0 s interstimulus interval reveals that the illusion is likely related to the frequency per se and not the by-passing of the *now*.<sup>2</sup>

<sup>2</sup>S.M. Anstis, personal communication, November, 10, 2010.

### *Becoming versus Happening*

How does one reconcile the above findings with the spacetime dynamics theory (Elitzur, 1991, 1996), Prigogine's (1980) approach to uncertainty, and chaos theory which insist that "events are becoming," and therefore the flow of time is not illusory? It is our contention that the low-level flow of time is an illusion that is not incompatible with Prigogine's and Elitzur's theories. Implicit in their theories is that becoming leads to a percept for a single event, a percept that is characterized by awareness of the observer that the event has come into existence. The participants in our experiment actually did experience awareness for the onset of each frame of the walking person.

However, that awareness for a single event (stimulus) is not the same as the happening they experienced when serial frames (events) were presented. When the interstimulus interval was sufficiently prolonged, there was awareness for the emergence of each frame of the walking man, but not a percept of happening. The (low-level) flow of time (requiring two or more events) is a different experiential phenomenon than the awareness of a coming-into-existence of a single event (stimulus). "Becoming" is not "happening." However, the illusory percept of happening is not precluded from and does not contradict Prigogine's or Elitzur's theories.

### *Other Speculations*

The suspicion that the motion component of happening is a perceptual illusion is not new. Based upon the observation that a few patients saw the world as a cinematographic sequence of stills (a condition referred to as *akinetopsia*), Sacks (2005b, p. 35) raised the question of whether the continuous passage of time and movement is an illusion, "whether in fact our normal visual experience consisted of a series of 'moments' which were then welded together." Referring to the neurological findings of Sacks (1970), Koch (2004) remarked that rare migraines temporarily inactivate cortical motion areas, "thereby depriving . . . patients of the illusion of motion" (p. 266). In other words, the illusion of motion is necessary for normal cerebral functioning.

Based on what we now know about the percept of the flow of time, it is possible to speculate as to what the perception of events would be like if it were possible to eliminate the illusion of happening (including motion) at high frequencies (short interstimulus intervals). Our best guess is that the visual world would look like a series of stills at a rate of approximately 13 Hz (the estimated discrete processing rate of the brain). However, unlike the perception of happening (motion) that people currently experience from a 13 Hz movie, the perception of motion while observing the series of stills would be absent. The experiential phenomenon at a 13 Hz rate would be as devoid of motion as observing one

frame of a movie every 7 s (the interstimulus interval in our experiments when almost all participants lost the percept of motion). The demonstration of that experiential phenomenon at high frequencies is a stubborn problem awaiting future experimentation. It would be ideal to eliminate the percept of happening without having to reduce the stimulus frequency. Then there would be no question that the percept of happening is an illusion. To that end, it may be necessary to use methods other than frequency variation (e.g., transcranial magnetic stimulation) that are effective in disrupting various forms of perceptual motion, such as apparent rotary motion (Ruzzoli, Gori, Pavan, Pirulli, Marzi, and Miniussi, 2011) and the motion after-effect illusion (Theoret, Kobayashi, Ganis, DiCapua, and Pascual-Leone, 2002). However, our findings reveal that frequency variation is a powerful method to study why time seems to flow.

### References

- Anstis, S.M. (2009). Visual illusions. In T. Bayne, A. Coleeremans, and P. Wilken (Eds.), *Oxford companion to consciousness* (pp. 363–367). Oxford: Oxford University Press.
- Barbour, J.B. (1997). Nows are all we need. In H. Atmanspacher and E. Ruhnau (Eds.), *Time, temporality, now* (pp. 201–216). Berlin: Springer Verlag.
- Barbour, J.B. (2000). *The end of time*. Oxford: Oxford University Press.
- Bex, P.J., and Baker, C.I. Jr. (1999). Motion perception over long interstimulus intervals. *Perception & Psychophysics*, 61, 1066–1074.
- Blackmore, S.J., Brelstaff, G., Nelson, K., and Troscianko, T. (1995). Is the richness of our visual world an illusion? Transsaccadic memory for complex scenes. *Perception*, 24, 1075–1081.
- Block, R.A. (1979). Time and consciousness. In G. Underwood and R. Stevens (Eds.), *Aspects of consciousness: Volume 1. Psychological issues* (pp. 179–217). London: Academic Press.
- Block, R.A. (1998). Psychological time and the processing of spatial information. In M.J. Egenhofer and R.G. Golledge (Eds.), *Spatial and temporal reasoning in geographic information systems* (pp. 119–130). New York: Oxford University Press.
- Block, R.A., and Gruber, R.P. (in press). Time perception, attention, and memory: A view of theories and evidence. *Acta Psychologica*.
- Crick, F., and Koch, C. (2003). A framework for consciousness. *Nature Neuroscience*, 6, 119–126.
- Crick, F., and Koch, C. (2007). A neurobiological framework for consciousness. In M. Velmans and S. Schneider (Eds.), *The Blackwell companion to consciousness* (pp. 567–579). Malden, Massachusetts: Blackwell.
- Davies, P. (1996). *What is time?* New York: Simon and Shuster.
- Davies, P. (2002, September). That mysterious flow. *Scientific American*, 3, 40–47.
- Duch, W. (2005). Brain-inspired conscious computing architecture. *Journal of Mind and Behavior*, 26, 1–22.
- Elitzur, A.C. (1991). Consciousness and the passage of time: Two persistent wonders — or one? *Frontier Perspectives*, 2, 27–33.
- Elitzur, A.C. (1996). Time and consciousness: The uneasy bearing of relativity theory on the mind-body problem. In S.R. Hameroff, A.W. Kaszniak, and A.C. Scott (Eds.), *Toward a science of consciousness* (pp. 837–850). Cambridge, Massachusetts: MIT Press.
- Ellis, G.F.R. (2008). *On the flow of time*. Essay for the FQXi contest on the nature of time. Retrieved from [arxiv.org/pdf/0812.0240](http://arxiv.org/pdf/0812.0240)
- Foundalis, H.E. (2008). Why does time 'flow' but space is? Answers in evolution and cognition. Essay for the FQXi contest on the nature of time. Retrieved from [fqxi.org/community/forum/topic/276](http://fqxi.org/community/forum/topic/276)
- Gibson, J.J. (1975). Events are perceived but time is not. In J.T. Fraser and N. Lawrence (Eds.), *The study of time II* (pp. 295–301). New York: Springer Verlag.
- Greene, B. (2005). *The fabric of the cosmos*. New York: Vintage.
- Gregory, R.L. (1991). Putting illusions in their place. *Perception*, 20, 1–4.
- Gregory, R.L. (1998). Snapshots from the decade of the brain-brainy mind. *British Medical Journal*, 317, 1693–1695.
- Gruber, R.P. (2008). Neurophysics of the flow of time. *Journal of Mind and Behavior*, 2, 239–254.
- Gruber, R.P., and Block R.A. (2012, April). *Experimental evidence that the flow of time is a perceptual illusion*. Paper presented at the meeting of Toward a Science of Consciousness, Tucson, Arizona.
- Hameroff, S. R. (2001). Consciousness, the brain and spacetime geometry. In P.C. Marijuán (Ed.), *Cajal and consciousness: Scientific approaches to consciousness on the centennial of Ramon y Cajal's Textura* (pp. 74–104). New York: Annals of New York Academy of Sciences.
- Hameroff, S.R. (2003). Time, consciousness and quantum events in fundamental spacetime geometry. In R. Buccheri, M. Saniga, W.M. Stuckey, and North Atlantic Treaty Organization. Scientific Affairs Division (Eds.), *The nature of time: Physics, geometry and perception*. NATO science series, Series II, Mathematics, physics, and chemistry, v. 95 (pp. 383–392). Amsterdam: Kluwer Academic.
- Hollingworth, A. (2008). Visual memory for natural scenes. In S.J. Luck and A. Hollingworth (Eds.), *Visual memory* (pp. 123–162). Oxford: Oxford University Press.
- James, W. (1890). *The principles of psychology*. New York: H. Holt.
- Kinsbourne, M., and Hicks, R.E. (1990). The extended present: Evidence from time estimation by amnesics and normals. In V. Giuseppe and T. Shallice (Eds.), *Neuropsychological impairments of short-term memory* (pp. 319–330). New York: Cambridge University Press.
- Koch, C. (2004). *The quest for consciousness*. Englewood, New Jersey: Roberts.
- Nakashima, R., and Yokosawa, K. (2012). Sustained attention can create an (illusory) experience of seeing dynamic change. *Visual Cognition*, 20, 265–283.
- Palmer, J. (1986). Mechanism of displacement discrimination with and without perceived movement. *Journal of Experimental Psychology*, 12, 411–421.
- Park, D. (1999). What is "time"? In M. Wegener (Ed.), *Time creation and world order* (pp. 15–22). Aarhus, Denmark: Aarhus University Press.
- Penrose, R. (1989). *The emperor's new mind*. New York: Oxford University Press.
- Pöppel, E. (1985). *Mindworks: Time and conscious experience*. Boston: Harcourt, Brace, Jovanovich.
- Pöppel, E. (1997). The brain's way to create "newness." In H. Atmanspacher and E. Ruhnau (Eds.), *Time, temporality, now* (pp. 107–120). Berlin: Springer Verlag.
- Prigogine, I. (1980). *From being to becoming: Time and complexity in the physical sciences*. San Francisco: Freeman.
- Rensink, R.A. (2002). Change detection. *Annual Review of Psychology*, 53, 245–277.
- Ruhnau, E. (1997). The deconstruction of time and the emergence of temporality. In H. Atmanspacher and E. Ruhnau (Eds.), *Time, temporality, now* (pp. 53–70). Berlin: Springer Verlag.
- Ruzzoli, M., Gori, S., Pavan, A., Pirulli, C., Marzi, C.A., and Miniussi, C. (2011). The neural basis of the enigma illusion: A transcranial magnetic stimulation study. *Neuropsychologia*, 49, 648–655.
- Sacks, O. (1970). *Migraine*. London: Faber and Faber.
- Sacks, O. (2005a). In the river of consciousness. In T. Folger and J. Wiener (Eds.), *Best American science and nature writing* (pp. 216–227). New York: Houghton Mifflin.
- Sacks, O. (2005b, March 24). Remembering Francis Crick. *The New York Review of Books*, pp. 34–36.
- Sacks, O. (2007). *Musophilia: Tales of music and the brain*. New York: Vintage.
- Scott-Samuel, N.E., and Hess, R.F. (2001). What does the Ternus display tell us about motion processing in human vision? *Perception*, 30, 1179–1188.
- Segal, E. (2004). The mind's direction of time. *Journal of Mind and Behavior*, 25, 227–236.
- Smart, J.C.C. (1980). Time and becoming. In P. Van Inwagen (Ed.), *Time and cause: Essays presented to Richard Taylor* (pp. 3–15). Boston: Reidel.
- Steinman, R.M., Pizlo, Z., and Pizlo, F.J. (2000). Phi is not beta, and why Wertheimer's discovery launched the Gestalt revolution. *Vision Research*, 40, 25–32.
- Theoret, H., Kobayashi, M., Ganis, G., DiCapua, P., and Pascual-Leone, A. (2002). Repetitive transcranial magnetic stimulation of human area MT/V5 disrupts perception and storage of the motion after effect. *Neuropsychologia*, 40, 2280–2287.
- VanRullen, R., and Koch, C. (2003). Is perception discrete or continuous? *Trends in Cognitive Sciences*, 7, 207–213.

- VanRullen, R., Reddy, L., and Koch, C. (2010). A motion induced illusion reveals the temporally discrete nature of visual awareness. In R. Nihawan and B. Khurana (Eds.), *Space and time in perception and action* (pp. 521–535). New York: Cambridge University Press.
- Woolf, N.J., and Hameroff, S.R. (2001). A quantum approach to visual consciousness. *Trends in Cognitive Science*, 5, 472–478.
- Zakay, D. (2009). Time, illusion of. In H. Birx (Ed.), *Encyclopedia of time: Science, philosophy, theology, and culture* (pp. 1271–1273). Thousand Oaks, California: Sage.
- Zakay, D., and Bentwich, J. (1997). The tricks and traps of perceptual illusions. In M.S. Myslobodsky (Ed.), *The mythomanias: The nature of deception and self-deception* (pp. 73–103). Hillsdale, New Jersey: Erlbaum.

The *Journal of Mind and Behavior* (JMB) is dedicated to the interdisciplinary approach within psychology and related fields. Mind and behavior position, interact, and causally relate to each other in multidirectional ways; JMB urges the exploration of these interrelationships. The editors are particularly interested in scholarly work in the following areas: □ the psychology, philosophy, and sociology of experimentation and the scientific method □ the relationships among methodology, operationism, and theory construction □ the mind–body problem in the social sciences, psychiatry and the medical sciences, and the physical sciences □ philosophical impact of a mind–body epistemology upon psychology and its theories of consciousness □ critical examinations of the DSM–biopsychiatry–somatotherapy framework of thought and practice □ issues pertaining to the ethical study of cognition, self-awareness, and higher functions of consciousness in nonhuman animals □ phenomenological, teleological, existential, and introspective reports relevant to psychology, psychosocial methodology, and social philosophy, □ historical perspectives on the course and nature of psychological science. We typically do not publish empirical research. The Journal also recognizes the work of independent scholars.

JMB is based upon the premise that all meaningful statements about human behavior rest ultimately upon observation — with no one scientific method possessing, a priori, greater credence than another. Emphasis upon experimental control should not preclude the experiment as a measure of behavior outside the scientific laboratory. The editors recognize the need to propagate ideas and speculations *as well as* the need to form empirical situations for testing them. However, we believe in a working reciprocity between theory and method (not a confounding), and in a unity among the sciences. Manuscripts should accentuate this interdisciplinary approach — either explicitly in their content, or implicitly within their point of view.

JMB offers a publication outlet on a quarterly basis. The Journal publishes one volume per year in the following sequence of issues: Winter, Spring, Summer, and Autumn. There are no submission fees or page costs for accepted manuscripts. JMB is a peer-reviewed, refereed journal, and all decisions will be made by the assessing editors, associate editors, and chief editors. Commentaries and responses to individual articles and reviews are welcome. Authors subscribing at the time of manuscript submission are eligible for reduced subscription rates (see below).

All manuscripts should follow the style and preparation presented in the *Publication Manual of the American Psychological Association* (sixth edition, 2010). Particular attention should be paid to the citing of references, both in the text and on the reference page. [Note exceptions to APA style: JMB uses *no* ampersands or city/state abbreviations in referencing; the Journal uses three levels of headings: level 1, level 3, and level 4, see pp. 113, 114, 115 from the fifth (2001) edition APA Manual.] Authors requesting blind review must specify and prepare their manuscripts accordingly. Manuscripts may be sent to the Editor either by e-mail to [jmb@maine.edu](mailto:jmb@maine.edu) or by post (one copy) to:

Raymond Chester Russ, Ph.D., Editor  
The Journal of Mind and Behavior  
Department of Psychology  
The University of Maine  
5742 Little Hall  
Orono, Maine 04469–5742  
Tel. (207) 581-2057

Yearly subscription rates are \$32.00 for students or hardship; \$35.00 for past/present JMB authors or for those submitting manuscripts; \$46.00 for individuals; \$185.00 for institutions. Air mail rates upon request. All back issues are available and abstracts are located at [www.umaine.edu/jmb](http://www.umaine.edu/jmb). For detailed information contact our Circulation Department at The Institute of Mind and Behavior, P.O. Box 522, Village Station, New York City, New York 10014; Tel: (212) 595-4853.