

Research Grants Received:

Regulation of Superoxide Production by Human Neutrophils, National Institutes of Health, AI-22735, Sept. 1, 1985 to March 31, 1989.

Regulation of Chemoattractant Activation of Neutrophils, National Institutes of Health, AI-22735, April 1, 1989 to March 31, 1999

Role of Membrane Structure in Granulocyte Activation, American Heart Association, 85-255, July 1, 1985 to June 30, 1990.

The Function of Cytochrome b-559 in Human Granulocytes, American Heart Association, 87-1255, July 1, 1987 to June 30, 1990.

The Role of Cytochrome b-559 in Human Neutrophil Superoxide Production, National Institutes of Health, AI-26711, Sept. 1, 1988 to December 31, 1998.

Molecular Targeting of Oxidants by Reorganization of the Neutrophil Superoxide Generating System, Council for Tobacco Research, July 1, 1991-December 31, 1998.

Molecular Interactions of Inflammatory Cell Proteins, National Institutes of Health Computation Grant to the Pittsburgh Supercomputer, 12 Supercomputing Units, September 1992-August 1997.

Analysis of fMLF Binding Site on Formyl Peptide Receptor, National Institutes of Health, AI-40108, August 1, 1996 to July 31, 2000.

PUBLICATIONS**Reviewed Scientific Articles:**

1. Jesaitis, A.J. Linear dichroism and orientation of the Phycomyces photopigment. Ph.D. Thesis, California Institute of Technology, 1973.
2. Jesaitis, A.J. Linear dichroism and orientation of the Phycomyces photopigment. *J. Gen. Physiol.* **63**:1, 1974.
3. Jesaitis, A.J., P.R. Heners, R. Hertel and W.B. Briggs. Characterization of a membrane fraction containing a b-type cytochrome. *Plant Physiol.* **59**:941, 1977.
4. Dissing, S., A.J. Jesaitis and P.A.G. Fortes. Fluorescence labeling of the human erythrocyte anion transport system: Subunit structure studied with energy transfer. *Biochim. Biophys. Acta* **553**:63, 1979.
5. Hertel, R., A.J. Jesaitis, U. Dohrman and W.R. Briggs. In vitro binding of riboflavin to subcellular particles from maize coleoptiles and curcubita hypocotyls. *Planta*. **147**:312, 1980.
6. Jesaitis, A.J. and P.A.G. Fortes. Fluorescence studies of the sodium and potassium transport adenosine triphosphatase labeled with fluorescein mercuric acetate and anthrolyouabain. *J. Biol. Chem.* **255**:459, 1980.
7. Jesaitis, A.J. and J. Yguerabide. Lateral mobility of membrane components measured by laser photobleaching. Proc. 11th Ann. Electro Optics/Laser 79 Conference and Exposition, Anaheim, Calif. Industrial and Scientific Conference Management, Inc., 1979.
8. Sklar, L.A., Jesaitis, A.J., Painter, C.G., and Cochrane, C.G. Kinetics of neutrophil activation: The response to chemotactic peptides depends upon whether ligand-receptor interaction is rate-limiting. *J. Biol. Chem.* **256**:9909, 1981.
9. Jesaitis, A.J., and Yguerabide, J. Lateral mobility of the (Na⁺K⁺)ATPase and a fluorescent lipid analog in the plasma membrane of MDCK cells. Proceedings of the International Workshop on the Biological

Applications of Photobleaching Techniques. Dept. of Anatomy and Cell Biology, University of North Carolina School of Medicine (Chapel Hill), K. Jacobson, Ed., pp. 79-81, 1981.

10. Sklar, L.A., Oades, Z.G., Jesaitis, A.J., Painter, R.G., and Cochrane, C.G. Fluoresceinated chemotactic peptide and high-affinity antfluorescein antibody as a probe of the temporal characteristics of neutrophil stimulation. *Proc. Nat. Acad. Sci., USA*, 78:7540, 1981.
11. Sklar, L.A., McNeil, V.M., Jesaitis, A.J., Painter, R.G. and Cochrane, C.G. A continuous, spectroscopic analysis of the kinetics of elastase secretion by neutrophils: The dependence of secretion upon receptor occupancy. *J. Biol. Chem.*, 257:5471, 1982.
12. Jesaitis, A.J., Naemura, J.R., Painter, R.G., Sklar, L.A., and Cochrane, C.G. Intracellular localization of N-formyl chemotactic receptor and Mg²⁺ dependent ATPase in human granulocytes. *Biochem. Biophys. Acta.* 719:556, 1982.
13. Jesaitis, A.J., Naemura, J.R., Painter, R.G., Sklar, L.A., and Cochrane, C.G. The fate of the N-formyl chemotactic peptide receptor in stimulated human granulocytes: Subcellular fractionation studies. *J. Cell. Biochem.* 20:177, 1982.
14. Painter, R.G., Schmitt, M., Jesaitis, A.J., Sklar, L.A., Preissner, K., and Cochrane, C.G. Photoaffinity labeling of the N-formyl peptide receptor of human polymorphonuclear leukocytes. *J. Cell. Biochem.* 20:203, 1982.
15. Sklar, L.A., Jesaitis, A.J., Painter, R.G., and Cochrane, C.G. Ligand and/receptor internalization: A spectroscopic analysis and a comparison of ligand binding, cellular response, and internalization by human neutrophils. *J. Cell. Biochem.* 20:193, 1982.
16. Schmitt, M., Painter, R.G., Jesaitis, A.J., Preissner, K., Sklar, L.A. and Cochrane, C.G. Photoaffinity labeling of the N-formyl peptide receptor binding site of intact human polymorphonuclear leukocytes. Evaluation of a label as suitable to follow the fate of the receptor-ligand complex. *J. Biol. Chem.* 258:649, 1983.
17. Jesaitis, A.J., Painter, R.G., Sklar, L.A., Schmitt, M. and Cochrane, C.G. Human granulocytes internalize radiolabeled N-formyl chemotactic peptide into a galactosyl transferase rich fraction in an apparent high affinity high molecular weight form. *Fed. Proc.* 42:2857, 1983.
18. Jesaitis, A.J., Naemura, J.R., Painter, R.G., Sklar, L.A., and Cochrane, C.G. The fate of an N-formylated chemotactic peptide in stimulated human granulocytes. Subcellular fractionation studies. *J. Biol. Chem.* 258:1968, 1983.
19. Jesaitis, A.J. and Cochrane, C.G. Receptor mediated endocytosis, host defense, and inflammation. *Lab. Invest.* 48:117, 1983. Also in *Adv. in the Biology of Disease*, Vol. 1, E. Rubin and I. Damjanov (eds), Williams and Wilkins, Baltimore, pp. 115-117, 1984.
20. Sklar, L.A., Jesaitis, A.J., Painter, R.G. The formyl peptide receptor: A comparison of the kinetics of ligand/receptor interactions, receptor processing, and cellular responses. In: *Contemporary Topics of Immunobiology*. Snyderman, R. (ed). Vol. 14, Plenum Press, New York, pp. 29-82, 1984.
21. Jesaitis, A.J., Naemura, J.R., Sklar, L.A., Cochrane, C.G. and Painter, R.G. Rapid modulation of surface f-Met-Leu-Phe receptors in human granulocytes: Formation of high affinity ligand-receptor complexes in transient association with cytoskeleton. *J. Cell Biol.* 98:1378-1387, 1984.
22. Sklar, L.A., Jesaitis, A.J., Painter, R.G., and Cochrane, C.G. The dynamics of ligand-receptor interaction. Real time fluorometric analyses of association, dissociation, and internalization of an N-formyl peptide and its receptors on human neutrophils. *J. Biol. Chem.* 259:5661-69, 1984.

23. Painter, R.G., Sklar, L.A., Jesaitis, A.J., Schmitt, M. and Cochrane, C.G. Activation of neutrophils by N-formyl chemotactic peptides. *Fed. Proc.* 43:2737-2742, 1984.
24. Hyslop, P.A., Oades, Z.G., Jesaitis, A.J., Painter, R.G., Cochrane, C.G. and Sklar, L.A. Evidence for N-formyl chemotactic peptide stimulated GTPase activity in human neutrophil homogenates. *FEBS Letts.* 166:165-169, 1984.
25. Jesaitis, A.J., Tolley, J.O., Painter, R.G., Sklar, L.A., and Cochrane, C.G. Membrane-cytoskeleton interactions and the regulation of chemotactic peptide induced activation of human granulocytes: The effects of dihydrocytochalasin B. *J. Cell. Biochem.* 27:241-253, 1985.
26. Ross, M.I., Deems, R.A., Jesaitis, A.J., Dennis, E.A., and Ulevitch, R.J. Phospholipase activities of the P388D₁ macrophage-like cell line. *Arch. Biochim. Biophys.* 238(1):247-258, 1985.
27. Parkos, C.A., Cochrane, C.G., Schmitt, M., and Jesaitis, A.J. Regulation of the oxidative response of human granulocytes to chemoattractants: No evidence for stimulated traffic of redox enzymes between endo and plasma membranes. *J. Biol. Chem.* 260:6541-6547, 1985.
28. Sklar, L.A., Hyslop, P.A., Oades, Z.G., Omann, G.M., Jesaitis, A.J., Painter, R.G., and Cochrane, C.G. Signal transduction and ligand-receptor dynamics in the human neutrophil: transient responses and occupancy-response relations at the formyl-peptide receptor. *J. Biol. Chem.* 260:11461-11467, 1985.
29. Allen, R.A., Jesaitis, A.J., Sklar, L.A., Cochrane, C.G., and Painter, R.G. Physicochemical properties of N-formyl peptide receptor in human neutrophils. *J. Biol. Chem.* 261:1854-1857, 1986.
30. Jesaitis, A.J., and Yguerabide, J. The lateral mobility of the (Na⁺+K⁺)-dependent ATPase in Main-Darby canine kidney cells. *J. Cell. Biol.*, 102:1256-1263, 1986.
31. Allen, R.A., Tolley, J.O., and Jesaitis, A.J. Preparation and properties of an improved photoaffinity ligand for the N-formyl peptide receptor. *Biochim. Biophys. Acta.*, 882:271-280, 1986.
32. Jesaitis, A.J., Tolley, J.O., and Allen, R.A. Receptor-cytoskeleton interactions and membrane traffic may regulate chemoattractant induced superoxide production in human granulocytes. *J. Biol. Chem.* 261:13662-13669, 1986.
33. Jesaitis, R.K., Dahinden, C.A., Chang, C.M., and Jesaitis, A.J. Investigation on the role of golgi-mediated, ligand-receptor processing in the activation of granulocytes by chemoattractants: differential effects of monensin. *Biochim. Biophys. Acta.* 927:382-91, 1987.
34. Allen, R.A., Jesaitis, A.J., and Cochrane, C.G. Photoaffinity labeling of N-formyl peptide receptors. *Pharmacology and Therapeutics*, 33:333-348, 1987.
35. Tolley, J.O., Omann, G.M., and Jesaitis, A.J. A high yield, high purity elutriation method for purifying human granulocytes demonstrating enhanced longevity. *J. Leukocyte Biol.*, 42:43-50, 1987.
36. Dinauer, M.C., Orkin, S.H., Jesaitis, A.J., and Parkos, C.A. The glycoprotein encoded by the X-linked chronic granulomatous disease locus is a component of the neutrophil b-cytochrome complex. *Nature.* 327:717-720, 1987.
37. Parkos, C.A., Allen, R.A., Cochrane, C.G., and Jesaitis, A.J. Purified cytochrome b from human granulocyte plasma membrane is comprised of two polypeptides of M_r=91,000 and M_r=22,000. *J. Clin. Invest.* 80:732-742, 1987.
38. Schmitt, M., Painter, R.G., von Tscharnner, V., Jesaitis, A.J., Fayle, D.H., Keller, H., and Cochrane, C.G. Surface binding monoclonal antibody NMS-1 increases rate, magnitude and duration of N-formyl chemotactic peptide-mediated oxidative burst by human polymorphonuclear leukocytes. *J. Immunol.* 139:4178-4185, 1987.

39. Omann, G.M., Swann, W.N., Oades, Z.G., Parkos, C.A., Jesaitis, A.J., and Sklar, L.A. N-formylpeptide-receptor dynamics, cytoskeletal activation, and intracellular calcium response in human neutrophil cytoplasts. *J. Immunol.* 139:3447-3455, 1987.
40. Parkos, C.A., Allen, R.A., Cochrane, C.G., and Jesaitis, A.J. The quaternary structure of the plasma membrane b-type cytochrome of human granulocytes. *Biochim. Biophys. Acta.* 932:71-83, 1988.
41. Parkos, C.A., Dinauer, M.C., Walker, L.E., Allen, R.A., Jesaitis, A.J., and Orkin, S.H. The primary structure and unique expression of the 22 kD light chain of human neutrophil cytochrome b. *Proc. Natl. Acad. Sci. (USA)*, 85:3319-3323, 1988.
42. Jesaitis, A.J., Bokoch, G.M., Tolley, J.O., and Allen, R.A. Lateral segregation of occupied chemotactic receptors into actin and fodrin-rich plasma membrane microdomains depleted in guanyl nucleotide proteins. *J. Cell. Biol.*, 107:921-928, 1988.
43. Allen, R.A., and Jesaitis, A.J. Identification of a human neutrophil protein of Mr24,000 that binds N-formyl peptides: Cosedimentation with specific granules. *Biochim. Biophys. Acta.*, 991:123-133, 1989.
44. Cupo, J.F. R.A. Allen, A.J. Jesaitis and G.M. Bokoch. Reconstitution and characterization of the human neutrophil N-formyl peptide receptor and GTP binding proteins in phospholipid vesicles. *Biochim. Biophys. Acta*, 982:31-40, 1989.
45. Parkos, C.A., Dinauer, M.C., Jesaitis, A.J., Orkin, S.H., and Curnutte, J.T. Absence of both the 91 kD subunits of human neutrophil cytochrome b in two genetic forms of chronic granulomatous disease. *Blood*, 73:1416-1420, 1989.
46. Quinn, M.T., Parkos, C.A., Walter, L., Orkin, S.H., Dinauer, M.C., and Jesaitis, A.J. Molecular association of rap 1 protein with cytochrome b of human neutrophils. *Nature (London)*, 342:198-200, 1990.
47. Jesaitis, A.J., Tolley, J.O. Bokoch, G.M. and Allen, R.A. Regulation of chemoattractant receptor interaction with transducing proteins by organizational control with plasma membrane of human neutrophils. *J. Cell Biol.*, 109:2783-2790, 1989.
48. Quinn, M.T., Parkos, C.A., and Jesaitis, A.J. The lateral organization of components of the membrane skeleton and superoxide generation in the plasma membrane of stimulated human neutrophils. *Biochim. Biophys. Acta*, 987:83-94, 1989.
49. Jesaitis, A.J., E.S. Buescher, D. Harrison, M.T. Quinn, C.A. Parkos, S. Livesey, and J. Linner. Ultrastructural localization of cytochrome b in the membranes of resting and phagocytosing human granulocytes. *J. Clin. Invest.* 85:821-835, 1990.
50. Wiley, K.J., V.M. Thomas, J.S. Wiley, A.J. Jesaitis and M.K. Petersen. Influence of dietary protein source and exogenous progesterone on liver mixed function oxidase activity in ovariectomized ewes. *Proceedings, Western Section, American Society of Animal Science*, 41:1-4, 1990.
51. Woodman, R.C., Ruedi, J.M., Jesaitis, A.J., Okamura, N., Quinn, M.T., Smith, R.M., Curnutte, J.T., and Babior, B.M. The respiratory burst oxidase and 3 of 4 oxidase-related polypeptides are associated with the cytoskeleton of human neutrophils. *J. Clin. Invest.*, 87:1345-1351, 1991.
52. Bokoch, G.M., Quilliam, L.A., Bohl, B.P., Jesaitis, A.J. and Quinn, M.T. The binding of the Rap1A protein to cytochrome b₅₅₈ of the NADPH oxidase system is inhibited by phosphorylation. *Science* 254:1794-1796, 1991.
53. Bommakanti, R.K., Bokoch, G.M., Siemsen, D.W., Klotz, K-N, Tolley, J.O., Jesaitis, A.J. Physical Interaction of the N-formyl Chemotactic Peptide Receptor with G-protein: Prevention of Complex Formation by Pertussis Toxin Catalyzed ADP Ribosylation. *J.Biol.Chem.*, 267:7576-7581, 1992.

54. Jesaitis, A.J., Quinn, M.T., Parkos, C.A., Mullen, M.L., Scott, P.J., Erickson, R.W. and Curnutte, J.T. Reconstitution of defective respiratory burst activity in two genetic forms of chronic granulomatous disease with cytochrome B:Rap1A complexes. *Blood* 79:2438-2445, 1992.
55. Quinn, M.T., Mullen, M.L., Jesaitis, A.J. and Linner, J.G. Subcellular distribution of Rap1 protein in human neutrophils colocalization and cotranslocation with cytochrome b₅₅₉. *Blood* 79: 1563-1573, 1992.
56. Quinn, M.T., Mullen, M.L., and Jesaitis, A.J. Human neutrophil cytochrome b contains multiple hemes: evidence for heme associated with both subunits. *J.Biol. Chem.* 267:7303-7309, 1992.
57. Meir, B., Jesaitis, A.J., Emmendorffer, A., Roesler, J., and Quinn, M.T. The cytochrome b558 molecules involved in the fibroblast and polymorphonuclear leukocyte superoxide generating-NADPH oxidase systems are structurally and genetically distinct. *Biochem. J.* 289:481-486, 1993
58. Schreiber, R.E., Prossnitz, E.R., Ye, R.D., Cochrane, C.G., Jesaitis, A.J., and Bokoch, G.M. Reconstitution of recombinant chemotactic peptide receptor with G-protein. *J.Leuk.Biol.* 53:470-474, 1993.
59. Quinn, M.T., Evans, T., Priscu, L.R., Jesaitis, A.J., and Bokoch, G.B. Translocation of Rac correlates with NADPH oxidase activation: Evidence for equimolar translocation of oxidase components. *J.Biol.Chem.* 268:20983-20987, 1993.
60. Bommakanti, R.K., Klotz, K.-N., Dratz, E.A., Jesaitis, A.J. Carboxyl-terminal tail peptide of neutrophil chemotactic receptor disrupts its physical complex with G-protein. *J.Leuk.Biol.* 54:572-577, 1993
62. Jesaitis, A.J., Erickson, R.W., Klotz, K.-N., Bommakanti, R.K., Siemsen, D.W., Functional interaction of human N-formyl peptide chemoattractant receptors with actin. *J.Immunol.* 151:5653-5665, 1993
63. Klotz, K.-N., Krotec, K.L., Gripentrog, J., and Jesaitis, A.J. Regulatory interaction of N-formyl peptide chemoattractant receptors with the membrane skeleton in human neutrophils. *J.Immunol.*, 152:801-810, 1994
64. Mukherjee, G., Quinn, M.T., Linner, J.G., and Jesaitis, A.J. Remodeling of the plasma membrane after stimulation of neutrophils with f-Met-Leu-Phe and dihydrocytochalasin B: Identification of membrane subdomains containing NADPH oxidase activity. *J.Leuk. Biol.* 55:685-694, 1994.
65. Bommakanti, R.K., Dratz, E.A., Siemsen, D.W., Jesaitis, A.J. Characterization of complex formation between G_{i2} and octylglucoside-solubilized neutrophil N-formyl peptide chemoattractant receptor by velocity sedimentation *Biochim. Biophys. Acta.* 1209:69-76, 1994.
66. Klotz, K.-N. and Jesaitis, A.J. The interaction of N-formyl peptide chemoattractant receptors with the membrane cytoskeleton is energy dependent. *Cell. Signalling.* 6:943-947, 1994
67. Klotz, K.-N. and Jesaitis, A.J. Physical coupling of N-formyl peptide chemoattractant receptors to G protein is unaffected by desensitization. *Biochem. Pharmacol.* 48:1297-1300, 1994
68. Quinn, M.T., Linner, J.G., Siemsen, D.W., Dratz, E.A., Buescher, E.S., and Jesaitis, A.J. Immunocytochemical detection of lipid peroxidation in phagosomes of human neutrophils: correlation of expression of cytochrome b in X-linked chronic granulomatous disease. *J. Leuk. Biol.* 57:415-421, 1995.
69. Johansson, A., Jesaitis, A.J., Lundqvist, H., Magnusson, K.-E., Sjolín, C., Karlsson, A., Dahlgren, C. Different subcellular localization of cytochrome b and the dormant NADPH-oxidase in neutrophils and macrophages: Effect on the production of reactive oxygen species during phagocytosis. *Cell. Immunol.* 161:61-71, 1995
70. Bommakanti, R.K., Dratz, E.A., Jesaitis, A.J. Extensive contact between Gi2 and N-formyl peptide chemoattractant receptor of human neutrophils: Mapping of binding sites with receptor-mimetic peptides. *Biochemistry*, 34:6720-6728, 1995

71. Burritt, J.B., Quinn, M.T., Jutila, M.A., Bond, C.W. and Jesaitis, A.J. Topological mapping of neutrophil cytochrome b epitopes with phage display libraries. *J.Biol.Chem.* 270:16974-16980, 1995
72. DeLeo, F.R., Yu, L., Burritt, J.B., Loetterle, L.R., Bond, C.W., Jesaitis, A. J. and Quinn, M.T. Mapping sites of interaction of p47-phox and flavocytochrome b with a random sequence peptide phage display library. *Proc.Natl.Acad.Sci (USA)*, 92:7110-7114,1995
73. DeLeo, F.R., Nauseef,W.M., Burritt, J.B., Clark,R.A., Jesaitis, A.J., Quinn,M.T. A domain of p47- phox that interacts with human neutrophil flavocytochrome b₅₅₈. *J.Biol.Chem.*, 270:26246-26251, 1995
74. Burritt, J.B., Bond, C.W, Doss,K.W., Jesaitis, A.J. Phage display of oligopeptide libraries. *Anal. Biochem.*, 238:1-13, 1996.
75. Barnidge, D.R., Dratz, E.A., Sunner, J., and Jesaitis, A.J. Identification of Transmembrane Tryptic Peptides of Rhodopsin using MALDI-TOF Mass Spectrometry. *Protein Sci.* 6:816-824, 1997
76. Adams, E., Dratz, E.A., Gizachew,D., Deleo, F.R., Yu, L., Volpp, B.D., Vlases, M. A., Jesaitis, A.J., Quinn, M.T. Interaction of human neutrophil flavocytochrome b 558 with cytosolic proteins: Transferred NOESY NMR structure of a gp91-*phox* carboxyl-terminal peptide bound to p-47 *phox*. *Biochem. J.*, 325:249-257, 1997
77. Miettinen, H.M., Mills, J.S., Gripentrog, J.M., Dratz, E.A., Granger, B.L. and Jesaitis, A.J. The ligand binding domain of the formyl peptide receptor maps in the transmembrane region. *J. Immunol.* 159:4045-4054, 1997
78. Mills,J.S., Miettinen, H.M., Barnidge,D., Vlases,M.J., Wimer-Mackin,S., Dratz,E.A., Jesaitis,A.J. Identification of a ligand binding site in the human neutrophil formyl peptide receptor using a site-specific fluorescent photoaffinity label and mass spectrometry. *J.Biol.Chem.* 273:10428-10435, 1998
79. Burritt, J.B., Busse, S.C., Gizachew, D., Siemsen, D.W., Quinn, M.T., Bond, C.W., Dratz, E.A. and Jesaitis, A.J. Antibody imprint of a membrane protein surface: Phagocyte Flavocytochrome b. *J Biol. Chem.*,273:24847-24852, 1998.
80. G. Mukherjee, B.J. Rasmusson, J.G. Linner, M.T. Quinn, C.A. Parkos, K.-E. Magnusson, A.J. Jesaitis. The organization and mobility of CD11b/CD18 on the surface of chemoattractant-stimulated and resting human neutrophils: the influence of dihydrocytochalasin b. *Arch.Bioch. Biophys.* 357:164-172, 1998.
81. Liu, X., Roe, F., Jesaitis, A.J.,Lewandowski, Z. Resistance of biofilms to the catalase inhibitor 3-amino-1,2,3-triazole. *Biotechnol. Bioengineer.* 59:156-162, 1998
82. Miettinen, H.M., Gripentrog, J.M., Jesaitis, A.J. Chemotaxis of Chinese Hamster Ovary Cells expressing human neutrophil formyl peptide receptor: role of signal transduction molecules and $\alpha 5\beta 1$ integrin. *J.Cell Sci.* 111:1921-1928,1998.
83. Jesaitis, A.J., Gizachew, D., Siemsen,D. Stone, K.C., Burritt, J.B. Actin surface structure revealed by antibody imprints: Phage display analysis of anti-actin antibodies. *Protein Science*, 8:760-770, 1999.
84. Edens, H.A. Parkos, C.A., Liang, T.W., Jesaitis, A.J., Cutler, J.E., Miettinen, H.M. Non-serum dependent chemotactic factors produced by *Candida albicans* stimulate chemotaxis by binding to formyl peptide receptor on neutrophils and an unknown receptor on macrophages. *Infect.Immun.*, 67:1063-71, 1999.
85. Barnidge, D.R., Dratz, E.A.,Jesaitis, A.J., and Sunner, J. Extraction method for analysis of bacteriorhodopsin and hydrophobic peptides by electrospray ionization mass spectrometry. *Anal.Biochem.*, 269:1-9, 1999.
86. Mazzucchelli, L., Burritt, J.B., Jesaitis, A.J., Nusrat, A., Liang, T.W., Gewirtz, a., Schnell, F.J., Parkos, C.A. Cell specific peptide binding by human neutrophils. *Blood* 93:1738-1748, 1999.
87. Miettinen, H.M., Gripentrog, J.M., Mason, M.M., Jesaitis, A.J. Identification of putative sites of interaction between the human formyl peptide receptor and G protein. *J.Biol.Chem.* 274:27934-27942. 1999.

88. Foubert, T., Burritt, J.B., Jesaitis, A.J. NADPH oxidase activators induce heme movement in human neutrophil flavocytochrome b detected by fluorescence energy transfer. Submitted JBC 2000
89. Gripenrog, J.M., Jesaitis, A.J., Miettinen, H.M. Single amino acid substitutions in the human N-formyl peptide receptor affect G protein coupling, endocytosis, and chemotaxis but not the activation of p42/44 MAPK. *Biochem J.* 352:399-407, 2000.
90. DeLeo, F.R., Burritt, J.B., Yu, L., Jesaitis, A.J., Dinauer, M.C., and Nauseef, W.M. Processing and maturation of flavocytochrome b includes incorporation of heme as a prerequisite for heterodimer assembly. *J. Biol. Chem.* 275:13986-13993, 2000.
91. Burritt, J.B., Fritel, G., Pick, E., Roos, D., and Jesaitis, A.J. Epitope identification for human neutrophil cytochrome b monoclonals 48 and 449. *Eur. J. Hematol.*, 65:407-413, 2000
92. Burritt, J.B., DeLeo, F.R., McDonald, C.L., Prigge, J.R., Dinauer, M.C., Nakamura, M., Nauseef, W.M., and Jesaitis, A.J. Phage display epitope mapping of human neutrophil flavocytochrome b558: Identification of two juxtaposed extracellular domains. *J. Biol. Chem.* 276: 2053-2061, 2001
93. Regier, D.S., Greene, D.G., Sergeant, S., Jesaitis, A.J., McPhail, L.C. Phosphorylation of p22phox is mediated by phospholipase D-dependent and -independent mechanisms. Correlation of NADPH oxidase activity and p22phox phosphorylation. *J Biol Chem.* 275:28406-12, 2000
94. Mills, J., Miettinen, H., Cummings, D. Jesaitis, A.J. Characterization of the binding site on the formyl peptide receptor using three receptor mutants and analogs of Met-Leu-Phe and Met-Met-Trp-Leu-Leu. *J. Biol. Chem.* 275:39012-39017, 2000
95. Palicz A, Foubert TR, Jesaitis AJ, Marodi L, McPhail LC. Phosphatidic acid and diacylglycerol directly activate NADPH oxidase by interacting with enzyme components. *J Biol Chem.* 276:3090-3097, 2001.
96. Jesaitis, A.J. Burritt, J.B., Stone, K.C. Nauseef, W.M. Identification of a guanyl nucleotide-sensitive actin-binding motif on p21-rac by random nonapeptide phage display. Under revision 2001.
97. Keil, M.L., Solomon, N.L., Stone, K.C., Jesaitis, A.J., and Omann, G.M. Priming of Human Neutrophils by either Lipopolysaccharide or Tumor Necrosis Factor- α Causes Movement of G_i^1 from a Lower to a Higher Density Plasma Membrane Fraction Under revision
98. Foubert, T.F., Bleazard, J.B., Burritt, J.B., Gripenrog, J.B., and Jesaitis, A.J. Isolation and identification of the heme-coordinating regions of human neutrophil flavocytochrome *b*₅₅₈. Submitted *J. Biol. Chem.* 2001
99. Baniulis, D. Burritt, J.B., Magnusson, K-E., Bumelis, V., Jesaitis, A.J. Topography of gp91phox of human phagocyte flavocytochrome b: New immunological probe of an extracellular loop. Submitted, *J. Immunol.*, 2001
100. Taylor, R.M., Lin, B.-W., Foubert, T. Burritt, J.B., Sunner, J., Jesaitis, A.J. Evaluation of Cascade Blue as a donor for energy transfer in heme-containing proteins. Submitted *Analytical Biochem.* 2001
101. Taylor, R.M., Sunner, J., Jesaitis, A.J. Alpha-cyano-4-hydroxycinnamic acid as a matrix for negative ion mode MALDI-TOF mass spectrometry. Submitted 2001

Monographs/Symposia/Reviews:

1. Jesaitis, A.J. and Yguerabide, J. Lateral mobility of the (Na⁺K⁺) ATPase and a fluorescent lipid analog in the plasma membrane of MDCK cells. Proceedings of the International Workshop on the Biological Applications of Photobleaching Techniques. Dept. of Anatomy and Cell Biology, University of North Carolina School of Medicine (Chapel Hill), K. Jacobson, ed., pp. 79-81, 1981.
2. Jesaitis, A.J., Naemura, J.R., Painter, R.G., Sklar, L.A. and Cochrane, C.G. The fate of the N-formyl chemotactic peptide receptor in stimulated human granulocytes: Subcellular fractionation studies. In: UCLA Symposia on Molecular and Cellular Biology. Vol. 6, Evolution of Hormone-Receptor Systems. R.A. Bradshaw, G.N. Gill (eds.) Alan Liss, Inc., New York, p. 143, 1982.
3. Painter, R.G., Schmitt, M., Jesaitis, A.J., Sklar, L.A., Preissner, K., and Cochrane, C.G. Photoaffinity labeling of the N-formyl peptide receptor of human polymorphonuclear leukocytes. In: UCLA Symposia on Molecular and Cellular Biology. Vol. 6, Evolution of Hormone-Receptor Systems. R.A. Bradshaw, G.N. Gill (eds) Alan Liss, Inc., New York, p. 169, 1982.
4. Sklar, L.A., Jesaitis, A.J., Painter, R.G. and Cochrane, C.G. Ligand/receptor internalization: a spectroscopic analysis and a comparison of ligand binding, cellular response, and internalization by human neutrophils. In: UCLA Symposia on Molecular and Cellular Biology. Vol. 6, Evolution of Hormone-Receptor Systems. R.A. Bradshaw, G.N. Gill (eds) Alan Liss, Inc., New York, p. 159, 1982.
5. Jesaitis, A.J. and Cochrane, C.G. Receptor mediated endocytosis, host defense, and inflammation. In: Adv. in the Biology of Disease, Vol. 1, E. Rubin and I. Damjanov (eds), Williams and Wilkins, Baltimore, pp. 115-117, 1984.
6. Sklar, L.A., Jesaitis, A.J., and Painter, R.G. The neutrophil N-formyl peptide receptor: Dynamics of ligand-receptor interactions and their relationship to cellular responses. In: Contemporary Topics in Immunobiology, Vol. 14. Regulation of leukocyte function. R. Snyderman, ed. Plenum Press, New York, p. 29, 1984.
7. Painter, R.G., Jesaitis, A.J., Sklar, L.A. Leukocyte chemotaxis. In: Cell Membranes: Methods and Reviews. E. Elson, W. Frazier and L. Glaser (eds), Vol. 2, pps 43-75, 1984.
8. Jesaitis, A.J., Bockoch, G.M., and Allen, R.A. Regulation of signal transduction in human neutrophils by cytoskeleton-mediated reorganization of the plasma membrane chemoattractant receptor. In: Signal Transduction in Cytoplasmic Organization and Cell Motility. (J. Condeelis, P. Satir, and E. Lazarides, eds) Alan Liss, New York, pp. 325-337, 1988.
9. Allen, R.A., Traynor, A.E., Omann, G.M., and Jesaitis, A.J. The N-formyl peptide receptor - a model for future understanding of chemotactic disorders. In: Hematology and Oncology Clinics of North America, Vol. 2, No. 1, Phagocytic Defects I (J. Curnutte, ed.) W. B. Saunders Co., Philadelphia, pp. 33-59, 1988.
10. Jesaitis, A.J., and Allen, R.A. Activation of the neutrophil respiratory burst by chemoattractants: Regulation of the N-formyl peptide receptor in the plasma membrane. Bioenerg. and Biomemb. 20:679-707, 1988.
11. Allen, R.A., Jesaitis, A.J., Cochrane, C.G. The N-formyl peptide receptor: Structure:Function relationships. In: Receptors of Inflammatory Cells (C.G. Cochrane and M. Gimbrone, eds.) Academic Press, Inc., Orlando, pp. 83-112, 1990.
12. Jesaitis, A.J., Quinn, M.T., Mukherjee, G. Ward, P.A. and Dratz, E.A. Death by Oxygen: Radical Views. The New Biologist 3:651-655, 1991.

13. Molecular Basis of Oxidative Damage by Leukocytes. Proceedings of the First Montana State University/Keystone Symposium on the Molecular Basis of Oxidative Damage by Leukocytes (A.J. Jesaitis and E.A.Dratz, eds.) CRC Press Boca Raton, 350pp., 1992.
14. Linner, J.G., Buescher, E.S., Siemsen, D., Dratz, E.A., Quinn, M.T. and Jesaitis, A.J. Electron microscopic immunocytochemical co-localization of superoxide generating components and targets in resting and stimulated human neutrophils. In:Molecular Basis of Oxidative Damage by Leukocytes. Proceedings of Montana State University/Keystone Symposium on the Molecular Basis of Oxidative Damage by Leukocytes (A.J. Jesaitis and E.A. Dratz eds.) CRC Press Boca Raton, pp.277-281, 1992.
15. Jesaitis, A.J. Organizational of the leukocyte plasma membrane components of superoxide generation. In:Molecular Basis of Oxidative Damage by Leukocytes. Proceedings of Montana State University/Keystone Symposium on the Molecular Basis of Oxidative Damage by Leukocytes (A.J. Jesaitis and E.A.Dratz, eds.) CRC Press, Boca Raton, pp.91-100, 1992.
16. Parkos C.A., Quinn, M.T., Sheets,S. and Jesaitis, A. J. The Structure of Human Neutrophil B-type Cytochrome Involved in Superoxide production. In:Molecular Basis of Oxidative Damage by Leukocytes. Proceedings of Montana State University/Keystone Symposium on the Molecular Basis of Oxidative Damage by Leukocytes (A.J. Jesaitis and E.A. Dratz, eds.) CRC Press, Boca Raton, pp.45-55, 1992.
17. Woodman, R.C., Ruedi, J.M., Jesaitis, A.J., Okamura, N., Quinn, M.T., Smith, R.M., Curnutte, J.T., and Babior, B.M. The respiratory burst oxidase and its relationship with the cytoskelton of human neutrophils. In:Molecular Basis of Oxidative Damage by Leukocytes. Proceedings of Montana State University/Keystone Symposium on the Molecular Basis of Oxidative Damage by Leukocytes (A.J. Jesaitis and E.A. Dratz, eds.) CRC Press, Boca Raton, pp.247-249, 1992.
18. Jesaitis, A.J. Signal transduction in neutrophil membrane domains. *Comments on Molecular and Cellular Biophysics*. 8:97-114, 1992.
19. Jesaitis, A.J. Annual Report 1993 -- Montana State University Molecular and Cellular Biology Program Volume 1: 72 p., 1993
20. Jesaitis, A.J. and Klotz, K.-N., Cytoskeletal regulation of chemotactic receptors: Molecular complexation of N-formyl peptide receptors with G proteins and actin. *Eur.J. Haematol.* 51:288-293, 1993
21. Klotz, K.-N. and Jesaitis, A.J. Regulatory interactions of N-formyl peptide chemoattractant receptors with the membrane skeleton in human neutrophils. *Bioessays* 16:193-198, 1994.

22. Quinn, M.T., Parkos, C.A., Jesaitis, A.J. Purification of human neutrophil NADPH oxidase cytochrome b558 and association with Rap1A. *Meth.Enzymol.*, 255:476-487, 1995
23. Jesaitis, A.J. Annual Report 1993-1994 -- Montana State University Molecular and Cellular Biology Program Volume 2: 102 p., 1994
24. Jesaitis, A.J. The structure of human phagocyte cytochrome b and its relationship to microbicidal superoxide production. *J.Immunol.* 155:3286-3288, 1995
25. K.-N. Klotz, Jesaitis, A.J., Lohse, M.J. Mechanisms regulating G protein-coupled receptors *In: Perspectives in Receptor Reserch* (D. Giardina, A.Piergentili, M. Pignini, eds.) Elsevier Science B.V., Amsterdam, pp:11-25, 1996.
26. Mills, J.S., Miettinen, H.M., Vlases, M.J., Jesaitis, A.J. The structure and function of the N-formyl peptide receptor. *In: Molecular and Cellular Basis of Inflammation* C.N. Serhan and P.A. Ward eds.) Humana Press Inc. Totowa, NJ, 1998, pp215-245.