#### **HARRINGTON**

Synonyms - None.

#### **HISTORY**

Harrington was developed from the cross Klages/3/Gazelle/Betzes//Centennial, at the University of Saskatchewan, Saskatoon, Saskatchewan, Canada. The initial cross was made in 1972. Harrington was released to growers in 1981.

#### AREA OF PRODUCTION

Harrington is adapted to the traditional two-row barley areas of the United States and Canada.

#### AGRONOMIC CHARACTERISTICS

Maturity - Midseason, earlier than Klages.


Straw Strength - Midstrong.

Straw length - Midtall.

Disease Reaction - Susceptible to net blotch, speckled leaf blotch, stem rust, loose smut, and covered smut. Moderately susceptible to common root rot.

## **UTILIZATION**

Used for malting and brewing.



# **DESCRIPTION**

Plant - Spring growth habit.

Head - 2-row, medium long, medium lax, nodding.

Beard - Rough.

Glume - Numerous long hairs, glume awns longer than glume, glume half the length of the lemma.

### **KERNEL**

Hull - Smooth to slightly wrinkled.

Aleurone - Colorless.

Rachilla hairs - Medium to long.

Veins - Well defined.

Barbs on lateral veins - None.

Crease - Narrow, shallow.Point of attachment - Horseshoe depression.

Kernel size - Medium.

Kernel shape - Plump, broad in relation to length. Diamond shaped.

FEBRUARY, 1990