

LITERATURE CITED

- AEBISCHER, N. J. 1999. Multi-way comparisons and generalised linear models of nest success: extensions of the Mayfield method. *Bird Study* 46: S22–S31.
- AGRESTI, A., AND B. FINLAY. 1986. Statistical methods for the social sciences. 2nd ed. Dellen Publishing Company, San Francisco, CA.
- AKAIKE, H. 1973. Information theory and an extension of the maximum likelihood principle. Pp. 267–281 in B. N. Petran, and F. Csaki (editors). International symposium on information theory, 2nd ed. Budapest, Hungary.
- ALBRECHT, T. 2004. Edge effect in wetland-arable land boundary determines nesting success of Scarlet Rosefinches (*Carpodacus erythrinus*) in the Czech Republic. *Auk* 121:361–371.
- ALDRIDGE, C. L., AND R. M. BRIGHAM. 2001. Nesting and reproductive success of Greater Sage-Grouse in a declining northern fringe population. *Condor* 103:537–543.
- ALLISON, P. D. 1999. Logistic regression using the SAS system, theory and application. SAS Institute, Cary, NC.
- ANDERSON, D. R., AND K. P. BURNHAM. 2002. Avoiding pitfalls when using information-theoretic methods. *Journal of Wildlife Management* 66:912–918.
- ANDERSON, D. R., W. A. LINK, D. H. JOHNSON, AND K. P. BURNHAM. 2001. Suggestions for presenting the results of data analyses. *Journal of Wildlife Management* 65:373–378.
- ANDERSON, P. K., O. BORGAN, R. D. GILL, AND N. KEIDING. 1992. Statistical models based on counting processes. Springer-Verlag, New York, NY.
- ANDERSON, P. K., J. P. KLEIN, K. M. KNUDSEN, AND R. T. PALACIOS. 1997. Estimation of variance in Cox's regression model with shared gamma frailties. *Biometrics* 53:1475–1484.
- ANONYMOUS. 1981. Correction. *Ibis* 123:595.
- ARMSTRONG, D. P., E. H. RAEBURN, R. G. POWLESLAND, M. HOWARD, B. CHRISTENSEN, AND J. G. EWEN. 2002. Obtaining meaningful comparisons of nest success: data from New Zealand Robin (*Petroica australis*) populations. *New Zealand Journal of Ecology* 26:1–13.
- ARTMAN, V. L., E. K. SUTHERLAND, AND J. F. DOWNHOWER. 2001. Prescribed burning to restore mixed-oak communities in southern Ohio: effects on breeding-bird populations. *Conservation Biology* 15: 1423–1434.
- BAICICH, P. J., AND J. O. HARRISON. 1997. A guide to the nests, eggs, and nestlings of North American birds, 2nd ed. Academic Press, San Diego, CA.
- BANERJEE, S., M. M. WALL, AND B. P. CARLIN. 2003. Frailty modeling for spatially correlated survival data, with application to infant mortality in Minnesota. *Biostatistics* 4:123–142.
- BART, J., AND D. S. ROBSON. 1982. Estimating survivorship when the subjects are visited periodically. *Ecology* 63:1078–1090.
- BATARY, P., AND A. BALDI. 2004. Evidence of an edge effect on avian nest success. *Conservation Biology* 18:389–400.
- BEAUCHAMP, W. D., R. R. KOFORD, T. D. NUDDS, R. G. CLARK, AND D. H. JOHNSON. 1996. Long-term declines in nest success of prairie ducks. *Journal of Wildlife Management* 60:247–257.
- BELETSKY, L. D. 1996. The Red-winged Blackbird. The biology of a strongly polygynous songbird. Academic Press, San Diego, CA.
- BERGER, J. O., V. DE OLIVEIRA, AND B. SANS. 2001. Bayesian analysis of spatially correlated data. *Journal of the American Statistical Association* 96:1361–1374.
- BERGSTROM, P. W. 1982. Ecology of incubation in Wilson's Plover (*Charadrius wilsonia*). Ph.D. dissertation, University of Chicago, Chicago, IL.
- BERGSTROM, P. W. 1988. Breeding biology of Wilson's Plovers. *Wilson Bulletin* 100:25–35.
- BEST, L. B., K. E. FREEMARK, J. J. DINSMORE, AND M. CAMP. 1995. A review and synthesis of habitat use by breeding birds in agricultural landscapes of Iowa. *American Midland Naturalist* 134:1–29.
- BEST, L. B., K. E. FREEMARK, B. S. STEINER, AND T. M. BERGIN. 1996. Life history and status classifications of birds breeding in Iowa. *Journal of the Iowa Academy of Science* 103:34–45.
- BETTINGER, P., M. LENNETTE, K. N. JOHNSON, AND T. A. SPIES. 2005. A hierarchical spatial framework for forest landscape planning. *Ecological Modelling* 182:25–48.
- BISHOP, Y. M. M., S. E. FIENBERG, AND P. W. HOLLAND. 1975. Discrete multivariate analysis. MIT Press, Cambridge, MA.
- BOYD, R. L. 1972. Breeding biology of the Snowy Plover at Cheyenne Bottoms Waterfowl Management Area, Barton County, Kansas. M.S. thesis, Emporia State University, Emporia, KS.
- BRESLOW, N. 1974. Covariance analysis of censored survival data. *Biometrics* 30:89–99.
- BRESLOW, N. E., AND D. G. CLAYTON. 1993. Approximate inference in generalized linear mixed models. *Journal of the American Statistical Association* 88:9–25.
- BRITTON, J. C., AND B. MORTON. 1989. Shore ecology of the Gulf of Mexico. University of Texas Press, Austin, TX.
- BROMAGHIN, J. F., AND L. L. McDONALD. 1993a. Weighted nest survival models. *Biometrics* 49:1164–1172.

- BROMAGHIN, J. F., AND L. L. McDONALD. 1993b. A systematic-encounter-sampling design for nesting studies. *Auk* 110:646–651.
- BROOKS, S. P., E. A. CATCHPOLE, B. J. T. MORGAN, AND S. C. BARRY. 2000. On the Bayesian analysis of ring-recovery data. *Biometrics* 56:951–956.
- BROOKS, S. P., E. A. CATCHPOLE, B. J. T. MORGAN, AND M. P. HARRIS. 2002. Bayesian methods for analyzing ringing data. *Journal of Applied Statistics* 29:187–206.
- BROWN, S., C. HICKEY, B. HARRINGTON, AND R. GILL (EDITORS). 2001. The U.S. Shorebird Conservation Plan, 2nd ed. Manomet Center for Conservation Sciences, Manomet, MA.
- BUDNIK, J. M., F. R. THOMPSON III, AND M. R. RYAN. 2002. Effect of habitat characteristics on the probability of parasitism and predation of Bell's Vireo nests. *Journal of Wildlife Management* 66:232–239.
- BURHANS, D. E., D. DEARBORN, F. R. THOMPSON III, AND J. FAABORG. 2002. Factors affecting predation at songbird nests in old fields. *Journal of Wildlife Management* 66:240–249.
- BURKE, D. M., AND E. NOL. 2000. Landscape and fragment size effects on reproductive success of forest-breeding birds in Ontario. *Ecological Applications* 10:1749–1761.
- BURNHAM, K. P., AND D. R. ANDERSON. 2002. Model selection and multi-model inference: a practical information-theoretic approach, 2nd ed. Springer-Verlag, New York, NY.
- BURNHAM, K. P., AND D. R. ANDERSON. 2004. Multimodel inference—understanding AIC and BIC in model selection. *Sociological Methods and Research* 33: 261–304.
- BURNHAM, K. P., D. R. ANDERSON, G. C. WHITE, C. BROWNIE, AND K. H. POLLOCK. 1987. Design and analysis experiments for fish survival experiments based on capture-recapture. *American Fisheries Society Monograph No. 5*.
- CACCAMISE, D. F. 1976. Nesting mortality in the Red-winged Blackbird. *Auk* 93:517–534.
- CACCAMISE, D. F. 1977. Breeding success and nest site characteristics of the Red-winged Blackbird. *Wilson Bulletin* 89:396–403.
- CACCAMISE, D. F. 1978. Seasonal patterns of nesting mortality in the Red-winged Blackbird. *Condor* 80:290–294.
- CAHAYLA-WYNNE, R., AND D. C. GLENN-LEWIN. 1978. The forest vegetation of the driftless area, northeast Iowa. *American Midland Naturalist* 100:307–319.
- CAI, T., AND R. A. BETENSKY. 2003. Hazard regression for interval-censored data with penalized spline. *Biometrics* 59:570–579.
- CAM, E., W. A. LINK, E. G. COOCH, Y.-A. MONNAT, AND E. DANCHIN. 2002. Individual covariation in life-history traits: seeing the trees despite the forest. *American Naturalist* 159:96–105.
- CANFIELD, R. H. 1941. Application of the line interception method in sampling range vegetation. *Journal of Forestry* 38:388–394.
- CAO, J., AND C. Z. HE. 2005. Bias adjustment in Bayesian estimation of bird nest age-specific survival rates. *Biometrics* 61:877–878.
- CAO, J., C. Z. HE, AND T. D. MCCOY. In press. Bayesian estimation of age-specific bird nest survival rates with categorical covariates. *Environmental and Ecological Statistics*.
- CAREY, J. R. 1989. The multiple decrement life table: a unifying framework for cause-of-death analysis in ecology. *Oecologia* 78:131–137.
- CASELLA, G., AND R. L. BERGER. 1990. Statistical inference. Duxbury Press, Belmont, CA.
- CASELLA, G., AND E. I. GEORGE. 1992. Explaining the Gibbs sampler. *American Statistician* 46:167–174.
- CHIANG, C. L. 1968. Introduction to stochastic process in biostatistics. Wiley, New York, NY.
- CLARK, J. S. 2005. Why environmental scientists are becoming Bayesians. *Ecology Letters* 8:2–14.
- CLARK, R. G., AND D. SHUTLER. 1999. Avian habitat selection: pattern from process in nest-site use by ducks. *Ecology* 80:272–287.
- COOCH, E., AND G. C. WHITE. 2005. Program MARK: a gentle introduction. 4th ed. <<http://www.phidot.org/software/mark/docs/book/>> (15 November 2006).
- COOPER, A. B., R. HILBORN, AND J. W. UNSWORTH. 2003. An approach for population assessment in the absence of abundance indices. *Ecological Applications* 13: 814–828.
- COPAS, J. B. 1989. Unweighted sum of squares test for proportions. *Applied Statistics* 38:71–80.
- CORBAT, C. A. 1990. Nesting ecology of selected beach-nesting birds in Georgia. Ph.D. dissertation, University of Georgia, Athens, GA.
- CORBAT, C. A., AND P. W. BERGSTROM. 2000. Wilson's Plover (*Charadrius wilsonia*). In A. Poole, and F. Gill (editors). *The Birds of North America*, No. 516. The Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.
- COULSON, J. C. 1956. Mortality and egg production of the Meadow Pipit with special reference to altitude. *Bird Study* 3:119–132.
- COX, D. R. 1972. Regression models and life tables (with discussion). *Journal of the Royal Statistical Society, Series B* 34:187–220.
- COX, D. R. 1983. Some remarks on overdispersion. *Biometrika* 70:269–274.
- CRESSWELL, W. 1997. Nest predation: the relative effects of nest characteristics, clutch size and parental behaviour. *Animal Behaviour* 53:93–103.
- CRUMPTON, W. G. 1993. Establishment of an experimental wetland research complex. *Leopold Center Progress Reports* 2:9–12.
- CURTIS, J. T. 1959. The vegetation of Wisconsin: an ordination of plant communities. University of Wisconsin Press, Madison, WI.
- DAVIS, S. K. 2003. Nesting ecology of mixed-grass prairie songbirds in southern Saskatchewan. *Wilson Bulletin* 115:119–130.

- DAVIS, S. K. 2005. Nest-site selection patterns and the influence of vegetation on nest-survival of mixed-grass prairie passersines. *Condor* 107:605–616.
- DEMPSTER, A. P., N. M. LAIRD, AND D. B. RUBIN. 1977. Maximum likelihood from incomplete data via the EM algorithm. *Journal of the Royal Statistical Society, Series B* 39:1–38.
- DIENI, J. S., AND S. L. JONES. 2003. Grassland songbird nest site selection patterns in north-central Montana. *Wilson Bulletin* 115:388–396.
- DINSMORE, S. J., G. C. WHITE, AND F. L. KNOPF. 2002. Advanced techniques for modeling avian nest survival. *Ecology* 83:3476–3488.
- DION, N., K. A. HOBSON, AND S. LARIVIRE. 2000. Interactive effects of vegetation and predators on the success of natural and simulated nests of grassland songbirds. *Condor* 102:629–634.
- DIXON, P., AND A. M. ELLISON. 1996. Bayesian inference. *Ecological Applications* 6:1034–1035.
- DO, K. 2002. Biostatistical approaches for modeling longitudinal and event time data. *Clinical Cancer Research* 8:2473–2474.
- DONOVAN, T. M., P. W. JONES, E. M. ANNAND, AND F. R. THOMPSON III. 1997. Variation in local-scale edge effects: mechanisms and landscape context. *Ecology* 78:2064–2075.
- DOW, D. D. 1978. A test of significance for Mayfield's method of calculating nest success. *Wilson Bulletin* 90:291–295.
- DUGUAY, J. P., P. B. WOOD, AND G. W. MILLER. 2000. Effects of timber harvests on invertebrate biomass and avian nest success. *Wildlife Society Bulletin* 28:1123–1131.
- DUPIS, J. A. 1995. Bayesian estimation of movement and survival probabilities from capture-recapture data. *Biometrika* 82:761–772.
- DUPIS, J. A. 2002. Prior distributions for stratified capture-recapture models. *Journal of Applied Statistics* 29:225–237.
- DYER, M. I., J. PINOWSKI, AND B. PINOWSKA. 1977. Population dynamics. Pp. 53–105 in J. Pinowski, and S. C. Kendeigh (editors). *Granivorous birds in ecosystems, their evolution, populations, energetics, adaptations, impact, and control*. Cambridge University Press, Cambridge, UK.
- EFRON, B. 1988. Logistic regression, survival analysis, and the Kaplan-Meier curve. *Journal of the American Statistical Association* 83:414–425.
- EFRON, B. 1995. Business statistics center interviews. Irwin/McGraw-Hill Company. <<http://www.mhhe.com/business/opscl/bstat/efron.mhtml>> (11 April 2006).
- EHRLICH, P. R., D. S. DOBKIN, AND D. WHEYE. 1988. *The birder's handbook*. Simon and Schuster, New York, NY.
- ELLISON, A. M. 1996. An introduction to Bayesian inference for ecological research and environmental decision-making. *Ecological Applications* 6:1036–1046.
- ENNIS, D. M. 1998. The beta-binomial model: accounting for inter-trial variation in replicated difference and preference tests. *Journal of Sensory Studies* 13:389–412.
- ETHERIDGE, B., R. W. SUMMERS, AND R. E. GREEN. 1997. The effects of illegal killing and destruction of nests by humans on the population dynamics of the hen harrier *Circus cyaneus* in Scotland. *Journal of Applied Ecology* 34:1081–1105.
- ETTERSON, M. A., AND R. S. BENNETT. 2005. Including transition probabilities in nest survival estimation: a Mayfield Markov chain. *Ecology* 86: 1414–1421.
- ETTERSON, M., AND R. BENNETT. 2006. The effects of uncertainty about age of transition on bias in the Mayfield family of estimators. *Ecological Modelling* 199:253–260.
- ETTERSON, M. A., L. R. NAGY, AND T. RODDEN-ROBINSON. 2007. Partitioning risk among different causes of nest failure. *Auk* 124:432–443.
- FAABORG, J. 2002. Saving migrant songbirds: developing strategies for the future. University of Texas Press, Austin, TX.
- FAN, X., A. FELSOVALYI, S. A. SIVO, AND S. C. KEENAN. 2003. SAS for Monte Carlo studies: a guide for quantitative researchers. SAS Institute, Inc., Cary, NC.
- FARNSWORTH, G. L., K. C. WEEKS, AND T. R. SIMONS. 2000. Validating the assumptions of the Mayfield method. *Journal of Field Ornithology* 71:658–664.
- FAUTH, P. T. 2000. Reproductive success of Wood Thrushes in forest fragments in northern Indiana. *Auk* 117:194–204.
- FILLIATER, T. S., R. BREITWISCH, AND P. M. NEALEN. 1994. Predation on Northern Cardinal nests: does choice of nest-site matter? *Condor* 96:761–768.
- FITZMAURICE, G. M. 1997. Model selection with overdispersed data. *Statistician* 46:81–91.
- FLINT, P. L., K. H. POLLOCK, D. THOMAS, AND J. S. SEDINGER. 1995. Estimating prefledgling survival: allowing for brood mixing and dependence among brood mates. *Journal of Wildlife Management* 59:448–455.
- FOWLKES, E. B. 1987. Some diagnostics for binary logistic regression via smoothing methods. *Biometrika* 74:503–515.
- GELMAN, A., J. B. CARLIN, H. S. STERN, AND D. B. RUBIN. 1995. *Bayesian data analysis*. Chapman and Hall, London, UK.
- GILMER, D. S., I. J. BALL, L. M. COWARDIN, AND J. H. RIECHMANN. 1974. Effects of radio packages on wild ducks. *Journal of Wildlife Management* 38: 243–252.
- GOC, M. 1986. A new method of estimating nest success in birds. *Vår Fågelvärld* (Supplement) 11: 33–34.
- GÖRANSSON, G., AND J. LOMAN. 1976. Predation på konstgjorda fasanreden (predation on simulated pheasant's nests). *Anser* 15:195–200.

- GORE, J. A., AND C. A. CHASE III. 1989. Snowy Plover breeding distribution. Final performance report. Nongame Wildlife Section, Florida Game and Fresh Water Fish Commission, Tallahassee, FL.
- GÖTMARK, F. 1992. The effects of investigator disturbance on nesting birds. *Current Ornithology* 9:63–104.
- GÖTMARK, F., D. BLOMQVIST, O. C. JOHANSSON, AND J. BERGKVIST. 1995. Nest site selection: a trade-off between concealment and view of the surroundings? *Journal of Avian Biology* 26:305–312.
- GRAND, J. B., T. F. FONDELL, D. A. MILLER, AND R. M. ANTHONY. 2006. Nest survival in Dusky Canada Geese (*Branta canadensis occidentalis*): use of discrete-time models. *Auk* 123:198–210.
- GRANT, T. A., T. L. SHAFFER, E. M. MADDEN, AND P. J. PIETZ. 2005. Time-specific variation in passerine nest survival: new insights into old questions. *Auk* 122:661–672.
- GRAY, R. J. 1992. Flexible methods for analyzing survival data using splines, with applications to breast cancer prognosis. *Journal of the American Statistical Association* 87:942–951.
- GREEN, M. T., P. E. LOWTHER, S. L. JONES, S. K. DAVIS, AND B. C. DALE. 2002. Baird's Sparrow (*Ammodyramus bairdii*). In A. Poole, and F. Gill (editors). *The Birds of North America*, No. 638. Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.
- GREEN, R. E. 1989. Transformation of crude proportions of nests that are successful for comparison with Mayfield estimates of nest success. *Ibis* 131: 305–306.
- GREEN, R. F. 1977. Do more birds produce fewer young? A comment on Mayfield's measure of nest success. *Wilson Bulletin* 89:173–175.
- GREENBERG, R. 2003. The use of nest departure calls for surveying Swamp Sparrows. *Journal of Field Ornithology* 74:12–16.
- GREENBERG, R., C. ELPHICK, J. C. NORDBY, C. GJERDRUM, H. SPAUTZ, G. SHRIVER, B. SCHMELING, B. OLSEN, P. MARRA, N. NUR, AND M. WINTER. 2006. Flooding and predation: trade-offs in the nesting ecology of tidal-marsh sparrows. *Studies in Avian Biology* 32:96–109.
- GROSS, A. J., AND V. A. CLARK. 1975. Survival distributions: reliability applications in the biomedical sciences. Wiley, New York, NY.
- GUSTAFSON, E. J., M. G. KNUTSON, G. J. NIEMI, AND M. A. FRIBERG. 2002. Evaluation of spatial models to predict vulnerability of forest birds to brood parasitism by cowbirds. *Ecological Applications* 12:412–426.
- HALUPKA, K. 1998. Vocal begging by nestlings and vulnerability to nest predation in Meadow Pipits *Anthus pratensis*: to what extent do predation costs of begging exist? *Ibis* 140:144–149.
- HAMMOND, M. C., AND W. R. FORWARD. 1956. Experiments on causes of duck nest predation. *Journal of Wildlife Management* 20:243–247.
- HARDLE, W. 1990. *Applied nonparametric regression*. Cambridge University Press, Cambridge, UK.
- HARTLEY, M. J., AND M. L. HUNTER, JR. 1998. A meta-analysis of forest cover, edge effects, and artificial nest predation rates. *Conservation Biology* 12: 465–469.
- HAZLER, K. R. 2004. Mayfield logistic regression: a practical approach for analysis of nest survival. *Auk* 121:707–716.
- HE, C. Z. 2003. Bayesian modeling of age-specific survival in bird nesting studies under irregular visits. *Biometrics* 59:962–973.
- HE, C. Z., D. SUN, AND Y. TRA. 2001. Bayesian modeling of age-specific survival in nesting studies under Dirichlet priors. *Biometrics* 57:1059–1066.
- HEISEY, D. M. 1991. Applications of survival analysis in animal ecology. Ph.D. dissertation, University of Wisconsin, Madison, WI.
- HEISEY, D. M., AND A. P. FOONG. 1998. Modelling time-dependent interaction in a time-varying covariate and its application to rejection episodes and kidney transplant failure. *Biometrics* 54:712–719.
- HEISEY, D. M., AND T. K. FULLER. 1985. Evaluation of survival and cause-specific mortality-rates using telemetry data. *Journal of Wildlife Management* 49:668–674.
- HEISEY, D. M., AND E. V. NORDHEIM. 1990. Biases in the Pollock and Cornelius method of estimating nest survival. *Biometrics* 46:855–862.
- HEISEY, D. M., AND E. V. NORDHEIM. 1995. Modeling age-specific survival in nesting studies, using a general approach for doubly-censored and truncated data. *Biometrics* 51:51–60.
- HENSLER, G. L. 1985. Estimation and comparison of function of daily nest survival probabilities using the Mayfield method. Pp. 289–301 in B. J. T. Morgan, and P.M. North (editors). *Statistics in ornithology*. Springer-Verlag, Berlin, Germany.
- HENSLER, G. L., AND J. D. NICHOLS. 1981. The Mayfield method of estimating nesting success: a model, estimators and simulation results. *Wilson Bulletin* 93:42–53.
- HILL, D. P., AND L. K. GOULD. 1997. Chestnut-collared Longspur (*Calcarius ornatus*). In A. Poole, and F. Gill (editors). *The Birds of North America*, No. 288. Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.
- HILL, L. A. 1985. Breeding ecology of interior Least Terns, Snowy Plovers, and American Avocets at Salt Plains National Wildlife Refuge. M.S. thesis, Oklahoma State University, Stillwater, OK.
- HINDE, J., AND C. G. B. DEMETRIO. 1998. Overdispersion: models and estimation. *Computational Statistics and Data Analysis* 27:151–170.
- HINES, J. E., AND J. R. SAUER. 1989. Program CONTRAST: a general program for the analysis of several survival or recovery rate estimates. USDI Fish and Wildlife Service Technical Report 24. Washington, DC.

- HOBBS, N. T., AND R. HILBORN. 2006. Alternatives to statistical hypothesis testing in ecology: a guide to self teaching. *Ecological Applications* 16:5–19.
- HOBERT, J. P., AND G. CASELLA. 1996. The effect of improper priors on Gibbs sampling in hierarchical linear mixed models. *Journal of the American Statistical Association* 91:1461–1473.
- HOEKMAN, S. T., L. S. MILLS, D. W. HOWERTER, J. H. DEVRIES, AND I. J. BALL. 2002. Sensitivity analyses of the life cycle of midcontinent Mallards. *Journal of Wildlife Management* 66:883–900.
- HOLFORD, T. R. 1976. Life tables with concomitant information. *Biometrics* 32:587–597.
- HOLFORD, T. R. 1980. The analysis of rates and survivorship using log-linear models. *Biometrics* 36: 299–306.
- HOOD, S. L. 2006. Nesting ecology of Snowy and Wilson's plovers in the lower Laguna Madre region of Texas. M.S. thesis, Mississippi State University, Mississippi State, MS.
- HOOPER, J. P. 2006. Water depth influences nest predation for a wetland-dependent bird in fragmented bottomland forests. *Biological Conservation* 127: 37–45.
- HOOPER, J. P., AND M. C. BRITTINGHAM. 1998. Nest-site selection and nesting success of Wood Thrushes. *Wilson Bulletin* 110:375–383.
- HORVITZ, D. G., AND D. J. THOMPSON. 1952. A generalization of sampling without replacement from a finite universe. *Journal of the American Statistical Association* 47:663–685.
- HOSMER, D. W., T. HOSMER, S. LE CESSIE, AND S. LEMESHOW. 1997. A comparison of goodness-of-fit tests for the logistic regression model. *Statistics in Medicine* 16:965–980.
- HOWLETT, J. S., AND B. J. STUTCHBURY. 1996. Nest concealment and predation in Hooded Warblers: experimental removal of nest cover. *Auk* 113: 1–9.
- HUBER-CAROL, C., AND I. VONTA. 2004. Frailty models for arbitrarily censored and truncated data. *Lifetime Data Analysis* 10:369–388.
- HURVICH, C. M., AND C. L. TSAI. 1989. Regression and time series model selection in small samples. *Biometrika* 76:297–307.
- HYDE, J. 1977. Testing survival under right censoring and left truncation. *Biometrika* 64:225–230.
- IBRAHIM, J. G., M. H. CHEN, AND D. SINHA. 2001. Bayesian survival analysis. Springer, New York, NY.
- JEFFREYS, H. 1961. Theory of probability. 3rd ed. Oxford University Press, Oxford, UK.
- JEHLE, G., A. A. YACKEL ADAMS, J. A. SAVIDGE, AND S. K. SKAGEN. 2004. Nest survival estimation: a review of alternatives to the Mayfield estimator. *Condor* 106:472–484.
- JIANG, H., J. FINE, AND R. J. CHAPPELL. 2005. Semiparametric analysis of survival data with left truncation and dependent right censoring. *Biometrics* 61:567–575.
- JOHNSON, D. H. 1979. Estimating nest success: the Mayfield method and an alternative. *Auk* 96:651–661.
- JOHNSON, D. H. 1990. Statistical comparison of nest success rates. *Proceedings of the North Dakota Academy of Science* 44:67. <<http://www.npwrc.usgs.gov/resource/2000/statcomp/statcomp.htm>> (9 June 2006)
- JOHNSON, D. H. 1991. Further comments on estimating nest success. *Ibis* 133:205–207.
- JOHNSON, D. H. 2002. The role of hypothesis testing in wildlife science. *Journal of Wildlife Management* 66:272–276.
- JOHNSON, D. H., AND A. T. KLETT. 1985. Quick estimates of success rates of duck nests. *Wildlife Society Bulletin* 13:51–53.
- JOHNSON, D. H., J. D. NICHOLS, AND M. D. SCHWARTZ. 1992. Population dynamics of breeding waterfowl. Pp. 446–485 in B. D. J. Batt, A. D. Afton, M. G. Anderson, C. D. Ankney, D. H. Johnson, J. A. Kadlec, and G. L. Krapu (editors). *Ecology and management of breeding waterfowl*. University of Minnesota Press, Minneapolis, MN.
- JOHNSON, D. H., A. B. SARGEANT, AND R. J. GREENWOOD. 1989. Importance of individual species of predators on nesting success of ducks in the Canadian prairie pothole region. *Canadian Journal of Zoology* 67:291–297.
- JOHNSON, D. H., AND T. L. SHAFFER. 1990. Estimating nest success: when Mayfield wins. *Auk* 107:595–600.
- JOHNSON, D. S., AND J. A. HOETING. 2003. Autoregressive models for capture-recapture data: a Bayesian approach. *Biometrics* 59:341–350.
- JOHNSON, R. G., AND S. A. TEMPLE. 1990. Nest predation and brood parasitism of tallgrass prairie birds. *Journal of Wildlife Management* 54:106–111.
- KALBFLEISCH, J. D., AND R. L. PRENTICE. 1980. *The statistical analysis of failure time data*. Wiley, New York, NY.
- KAPLAN, E. L., AND P. MEIER. 1958. Nonparametric estimation from incomplete observations. *Journal of the American Statistical Association* 53:457–481.
- KASS, R. E., B. P. CARLIN, A. GELMAN, AND R. M. NEAL. 1998. Markov chain Monte Carlo in practice: a roundtable discussion. *American Statistician* 52: 93–100.
- KASS, R. E., AND A. E. RAFTERY. 1995. Bayes factors. *Journal of the American Statistical Association* 90:773–795.
- KILGO, J. C., R. A. SARGENT, B. R. CHAPMAN, AND K. V. MILLER. 1998. Effect of stand width and adjacent habitat on breeding bird communities in bottomland hardwoods. *Journal of Wildlife Management* 62:72–83.
- KIM, D. K. 1997. Regression analysis of interval-censored survival data with covariates using log-linear models. *Biometrics* 53:1274–1283.
- KLETT, A. T., H. F. DUEBBERT, C. A. FAANES, AND K. F. HIGGINS. 1986. Techniques for studying nest success of ducks in upland habitats in the prairie

- pothole region. Resource Publication 158. USDI Fish and Wildlife Service, Washington, DC. <<http://www.npwrc.usgs.gov/resource/tools/nest/nest.htm>> (20 March 2006).
- KLETT, A. T., AND D. H. JOHNSON. 1982. Variability in nest survival rates and implications to nesting studies. *Auk* 99:77–87.
- KNETTER, J. M., R. S. LUTZ, J. R. CARY, AND R. K. MURPHY. 2002. A multi-scale investigation of Piping Plover productivity on Great Plains alkali lakes, 1994–2000. *Wildlife Society Bulletin* 30:683–694.
- KNIGHT, R. L., S. KIM, AND S. A. TEMPLE. 1985. Predation of Red-winged Blackbird nests by mink. *Condor* 87:304–305.
- KNUTSON, M. G., J. P. HOOVER, AND E. E. KLAAS. 1996. The importance of floodplain forests in the conservation and management of neotropical migratory birds in the Midwest. Pp. 168–188 in F. R. THOMPSON (editor). Management of midwestern landscapes for the conservation of neotropical migratory birds. USDA Forest Service General Technical Report NC-GTR-187. USDA Forest Service, North Central Research Station. St. Paul, MN.
- KNUTSON, M. G., AND E. E. KLAAS. 1997. Declines in abundance and species richness of birds following a major flood on the upper Mississippi River. *Auk* 114:367–380.
- KNUTSON, M. G., G. J. NIEMI, W. E. NEWTON, AND M. A. FRIBERG. 2004. Avian nest success in midwestern forests fragmented by agriculture. *Condor* 106: 116–130.
- KNUTSON, M. G., L. A. POWELL, M. A. FRIBERG, G. J. NIEMI, AND R. K. HINES. 2006. An assessment of bird habitat quality using population growth rates. *Condor* 108:301–314.
- KORSCHGEN, C. E., K. P. KENOW, W. L. GREEN, D. H. JOHNSON, M. D. SAMUEL, AND L. SILEO. 1996. Survival of radiomarked Canvasback ducklings in northwestern Minnesota. *Journal of Wildlife Management* 60:120–132.
- LAIRD, N., AND D. OLIVER. 1980. Covariance analysis of censored survival data using log-linear analysis techniques. *Journal of the American Statistical Association* 86:899–909.
- LAWLESS, J. F. 1982. Statistical models and methods for lifetime data. Wiley, NY.
- LE CESSIE, S., AND J. C. VAN HOUWELINGEN. 1991. A goodness-of-fit test for binary regression models, based on smoothing methods. *Biometrics* 47: 1267–1282.
- LEBRETON, J. D., K. P. BURNHAM, J. COLBERT, AND D. R. ANDERSON. 1992. Modeling survival and testing biological hypotheses using marked animals: a unified approach with case studies. *Ecological Monographs* 62:67–118.
- LEE, Y., AND J. A. NELDER. 2000. Two ways of modeling overdispersion in non-normal data. *Journal of the Royal Statistical Society Series C-Applied Statistics* 49:591–598.
- LELE, S., AND M. L. TAPER. 2002. A composite likelihood approach to estimation of (co)variance components. *Journal of Statistical Planning and Inference* 103:117–135.
- LIEBEZEIT, J. R., AND T. L. GEORGE. 2002. Nest predators, nest-site selection, and nesting success for the Dusky Flycatcher in a managed ponderosa pine forest. *Condor* 104:507–517.
- LINDGREN, B. W. 1976. Statistical theory. 3rd ed. MacMillan Publishing Co., Inc. New York, NY.
- LINSEY, J. C., AND L. M. RYAN. 1998. Tutorial in biostatistics: methods for interval-censored data. *Statistics in Medicine* 17:219–238.
- LINK, C. L. 1984. Confidence intervals for the survival function using Cox's proportional hazards model with covariates. *Biometrics* 40:601–609.
- LINK, W. A., E. CAM, J. D. NICHOLS, AND E. G. COOCH. 2002. Of BUGS and birds: Markov chain Monte Carlo for hierarchical modeling in wildlife research. *Journal of Wildlife Management* 66: 277–291.
- LITTELL, R. C., G. A. MILLIKEN, W. W. STRUOP, AND R. D. WOLFINGER. 1996. SAS system for mixed models. SAS Institute Inc., Cary, NC.
- LLOYD, J. D., AND T. E. MARTIN. 2005. Reproductive success of Chestnut-collared Longspurs in native and exotic grassland. *Condor* 107:363–374.
- LLOYD, P., T. E. MARTIN, R. L. REDMOND, U. LANGNER, AND M. M. HART. 2005. Linking demographic effects of habitat fragmentation across landscapes to continental source-sink dynamics. *Ecological Applications* 15:1504–1514.
- LOKEMOEN, J. T., AND R. R. KOFORD. 1996. Using candlers to determine the incubation stage of passerine eggs. *Journal of Field Ornithology* 67:660–668.
- LONGFORD, N. T. 1993. Random coefficient models. Clarendon Press, Oxford, UK.
- LUDWIG, D. 1996. Uncertainty and the assessment of extinction probabilities. *Ecological Applications* 6:1067–1076.
- LUNN, D. J., A. THOMAS, N. BEST, AND D. SPIEGELHALTER. 2000. WinBUGS—a Bayesian modeling framework: concepts, structure, and extensibility. *Statistics and Computing* 10:325–337.
- LYNDEN-BELL, D. 1971. A method of allowing for known observational selection in small samples applied to 3CR quasars. *Monthly Notices of the Royal Astronomy Society* 155:95–118.
- MABEE, T. J. 1997. Using eggshell evidence to determine nest fate of shorebirds. *Wilson Bulletin* 109: 307–313.
- MANLY, B. F. J., AND J. A. SCHMUTZ. 2001. Estimation of brood and nest survival: comparative methods in the presence of heterogeneity. *Journal of Wildlife Management* 65:258–270.
- MANOLIS, J. C., D. E. ANDERSEN, AND F. J. CUTHBERT. 2000. Uncertain nest fates in songbird studies and variation in Mayfield estimation. *Auk* 117: 615–626.

- MARTIN, T. E. 1993. Nest predation among vegetation layers and habitat types: revising the dogmas. *American Naturalist* 141:897–913.
- MARTIN, T. E. 1998. Are microhabitat preferences of coexisting species under selection and adaptive? *Ecology* 79:656–670.
- MARTIN, T. E., AND G. R. GEUPEL. 1993. Nest-monitoring plots: methods for locating nests and monitoring success. *Journal of Field Ornithology* 64:507–519.
- MARTIN, T. E., AND J. J. ROPER. 1988. Nest predation and nest-site selection of a western population of the Hermit Thrush. *Condor* 90:51–57.
- MARTIN, T. E., AND S. J. MENGE. 2000. Nest predation increases with parental activity: separating nest site and parental activity effects. *Proceedings Royal Society London B* 267:2287–2293.
- MATHWORKS. 2004. MATLAB, Version 7.0, R14. The Mathworks, Inc., Natick, MA.
- MAYFIELD, H. 1960. The Kirtland's Warbler. Cranbrook Institute of Science, Bloomfield Hills, MI.
- MAYFIELD, H. 1961. Nesting success calculated from exposure. *Wilson Bulletin* 73:255–261.
- MAYFIELD, H. F. 1975. Suggestions for calculating nest success. *Wilson Bulletin* 87:456–466.
- MCCULLAGH, P., AND J. A. NELDER. 1989. Generalized linear models, 2nd ed. Chapman and Hall, New York, NY.
- McGARIGAL, K., AND B. J. MARKS. 1995. FRAGSTATS: spatial pattern analysis program for quantifying landscape structure. USDA Forest Service General Technical Report PNW-GTR-351. USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- MCNAB, W. H., AND P. E. AVERS. 1994. Ecological sub-regions of the United States. USDA Forest Service WO-WSA-5. USDA Forest Service, Washington, DC. <<http://www.fs.fed.us/land/pubs/ecoregions/index.html>> (15 November 2006).
- MCPPERSON, R. J., T. W. ARNOLD, L. M. ARMSTRONG, AND C. J. SCHWARZ. 2003. Estimating the nest-success rate and the number of nests initiated by radiomarked Mallards. *Journal of Wildlife Management* 67:843–851.
- MEIER, P., T. KARRISON, R. CHAPPELL, AND H. XIE. 2004. The price of Kaplan-Meier. *Journal of the American Statistical Association* 99:890–896.
- MILLER, H. W., AND D. H. JOHNSON. 1978. Interpreting the results of nesting studies. *Journal of Wildlife Management* 42:471–476.
- MILLER, R. G. JR. 1981. Survival analysis. Wiley, New York, NY.
- MILLER, R. G. JR. 1983. What price Kaplan-Meier? *Biometrics* 39:1077–1081.
- MOORE, R. P., AND W. D. ROBINSON. 2004. Artificial bird nests, external validity, and bias in ecological field studies. *Ecology* 85:1562–1567.
- MORRISON, M. L., W. M. BLOCK, M. D. STRICKLAND, AND W. L. KENDALL. 2001. Wildlife study design. Springer-Verlag, New York, NY.
- MORTON, M. L., K. W. SOCKMAN, AND L. E. PETERSON. 1993. Nest predation in the Mountain White-crowned Sparrow. *Condor* 95:72–82.
- MURPHY, M. T. 1983. Nest success and nesting habits of Eastern Kingbirds and other flycatchers. *Condor* 85:208–219.
- MURPHY, M. T., C. L. CUMMINGS, AND M. S. PALMER. 1977. Comparative analysis of habitat selection, nest site and nest success by Cedar Waxwings (*Bombycilla cedrorum*) and Eastern Kingbirds (*Tyrannus tyrannus*). *American Midland Naturalist* 138:344–356.
- NATARAJAN, R., AND C. E. McCULLOCH. 1999. Modeling heterogeneity in nest survival data. *Biometrics* 55: 553–559.
- NATIONAL CLIMATIC DATA CENTER. 2003. Climatological data, Texas: March–July. National Oceanic and Atmospheric Administration. <<http://www.ncdc.noaa.gov/oa/ncdc.html>> (6 November 2006).
- NATIONAL CLIMATIC DATA CENTER. 2004. Climatological data, Texas: March–July. National Oceanic and Atmospheric Administration. <<http://www.ncdc.noaa.gov/oa/ncdc.html>> (6 November 2006).
- NICHOLS, J. D., H. F. PERCIVAL, R. A. COON, M. J. CONROY, G. L. HENSLER, AND J. E. HINES. 1984. Observer visitation frequency and success of Mourning Dove nests: a field experiment. *Auk* 101:398–402.
- NISBET, I. C. T., K. J. WILSON, AND W. A. BROAD. 1978. Common Terns raise young after death of their mates. *Condor* 80:106–109.
- NUR, N., A. L. HOLMES, AND G. R. GEUPEL. 2004. Use of survival time analysis to analyze nesting success in birds: an example using Loggerhead Shrikes. *Condor* 106:457–471.
- OAKES, D. 1972. Discussion of the paper by D. R. Cox. *Journal of the Royal Statistical Society, Series B* 34:208.
- OWENS, T., AND K. D. HOP. 1995. Long term resource monitoring program standard operating procedures: photointerpretation. LTRMP 95-P008-1. (NTIS # PB95-264610) National Biological Service, Environmental Management Technical Center, Onalaska, WI.
- PAGE, G. W., J. S. WARRINGER, J. C. WARRINGER, AND P. W. C. PATON. 1995. Snowy Plover (*Charadrius alexandrinus*). In A. Poole, and F. Gill (editors). *The Birds of North America*, No. 154. The Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.
- PAGE, G. W., L. E. STENZEL, AND C. A. RIBIC. 1985. Nest site selection and clutch predation in the Snowy Plover. *Auk* 102:347–353.
- PAGE, G. W., D. W. WINKLER, AND C. W. SWARTH. 1983. Spacing out at Mono Lake: breeding success, nest density and predation in the Snowy Plover. *Auk* 100:13–24.
- PAN, W., AND R. CHAPPELL. 1999. A note on inconsistency of NPMLE of the distribution function from left truncated and case I interval censored data. *Lifetime Data Analysis* 5:281–291.

- PAN, W., AND R. CHAPPELL. 2002. Estimation in the Cox proportional hazards model with left-truncated and interval-censored data. *Biometrics* 58:64–70.
- PAN, Z., AND D. Y. LIN. 2005. Goodness-of-fit methods for generalized linear mixed models. *Biometrics* 61:1000–1009.
- PANKRATZ, V. S., M. DE ANDRADE, AND T. M. THERNEAU. 2005. Random-effects Cox proportional hazards model: general variance components methods for time-to-event data. *Genetic Epidemiology* 28: 97–109.
- PATON, P. W. C. 1995. Breeding biology of Snowy Plovers at Great Salt Lake, Utah. *Wilson Bulletin* 107:275–288.
- PEAK, R. G., F. R. THOMPSON III, AND T. L. SHAFFER. 2004. Factors affecting songbird nest survival in riparian forests in a midwestern agricultural landscape. *Auk* 121:726–737.
- PEAKALL, D. B. 1960. Nest records of the Yellowhammer. *Bird Study* 7:94–102.
- PESCADOR, M., AND S. PERIS. 2001. Effects of land use on nest predation: an experimental study in Spanish croplands. *Folia Zoologica* 50:127–136.
- PETIT, L. J., AND D. K. PETIT. 1996. Factors governing habitat selection by Prothonotary Warblers: field test of the Fretwell-Lucas models. *Ecological Monographs* 66:367–387.
- PIETZ, P. J., AND D. A. GRANFORS. 2000. Identifying predators and fates of grassland passerine nests using miniature video cameras. *Journal of Wildlife Management* 64:71–87.
- PINHEIRO, J. C., AND D. M. BATES. 2000. Mixed-effects models in S and S-plus. Springer-Verlag, New York, NY.
- POLLOCK, K. H., AND W. L. CORNELIUS. 1988. A distribution-free nest survival model. *Biometrics* 44: 397–404.
- POLLOCK, K. H., S. R. WINTERSTEIN, C. M. BUNCK, AND P. D. CURTIS. 1989. Survival analysis in telemetry studies: the staggered entry design. *Journal of Wildlife Management* 53:7–15.
- PRENTICE, R. L., AND L. A. GLOECKLER. 1978. Regression analysis of grouped survival data with application to breast cancer data. *Biometrics* 34:57–67.
- PURDUE, J. R. 1976. Thermal environment of the nest and related parental behavior in Snowy Plovers, *Charadrius alexandrinus*. *Condor* 78:180–185.
- RABE-HESKETH, S., A. SKRONDAL, AND A. PICKLES. 2002. Reliable estimation of generalized linear mixed models using adaptive quadrature. *Stata Journal* 2:1–21.
- RALPH, C. J., G. R. GEUPEL, P. PYLE, T. E. MARTIN, AND D. F. DiSANTE. 1993. Handbook of field methods for monitoring landbirds. USDA Forest Service General Technical Report PSW-GTR-144. USDA Forest Service, Pacific Southwest Research Station, Albany, CA.
- RECKHOW, K. H. 1990. Bayesian inference in non-replicated ecological studies. *Ecology* 71:2053–2059.
- REMES, V. 2005. Nest concealment and parental behaviour interact in affecting nest survival in the Blackcap (*Sylvia atricapilla*): an experimental evaluation of the parental compensation hypothesis. *Behavioral Ecology and Sociobiology* 58:326–332.
- RENNER, M., AND L. S. DAVIS. 2001. Survival analysis of Little Penguin *Eudyptula minor* chicks on Motuara Island, New Zealand. *Ibis* 143:369–379.
- RICKLEFS, R. E. 1969. An analysis of nesting mortality in birds. *Smithsonian Contributions in Zoology* No. 9. Washington, DC.
- ROBBINS, M. B. 1998. Display behavior of male Sprague's Pipits. *Wilson Bulletin* 110:435–438.
- ROBEL, R. J., J. N. BRIGGS, A. D. DAYTON, AND L. C. HULBERT. 1970. Relationships between visual obstruction measurements and weights of grassland vegetation. *Journal of Range Management* 23:295–298.
- ROBINSON, D. H., AND H. WAINER. 2002. On the past and future of null hypothesis significance testing. *Journal of Wildlife Management* 66:263–271.
- RODEWALD, A. D. 2002. Nest predation in forested regions: landscape and edge effects. *Journal of Wildlife Management* 66:634–640.
- RODEWALD, P. G., AND K. G. SMITH. 1998. Short-term effects of understory and overstory management on breeding birds in Arkansas oak-hickory forests. *Journal of Wildlife Management* 62: 1411–1417.
- RODRIGUEZ, G., AND N. GOLDMAN. 1995. An assessment of estimation procedures for multilevel models with binary responses. *Journal of the Royal Statistical Society A* 158:73–89.
- ROTELLA, J. J. 2005. Nest survival models. Chapter 14 in E. Cooch, and G. C. White (editors). Program MARK: a gentle introduction. 4th ed. <<http://www.warnercnr.colostate.edu/~gwhite/mark/mark.htm>> (15 November 2006).
- ROTELLA, J. J., S. J. DINSMORE, AND T. L. SHAFFER. 2004. Modeling nest-survival data: a comparison of recently developed methods that can be implemented in MARK and SAS. *Animal Biodiversity and Conservation* 27:187–205.
- ROTELLA, J. J., M. L. TAPER, AND A. J. HANSEN. 2000. Correcting nest-success estimates for observer effects: maximum-likelihood estimates of daily survival rates with reduced bias. *Auk* 117:92–109.
- ROTELLA, J. J., M. L. TAPER, S. E. STEPHENS, AND M. L. LINDBERG. 2006. Code for extending methods for modeling heterogeneity in nest-survival data using generalized mixed models. Montana State University, Bozeman, MT. <<http://www.montana.edu/rotella/nestsurv>> (28 November 2006).
- ROTH, R. R. 1976. Spatial heterogeneity and bird species diversity. *Ecology* 57:773–782.
- ROYAMA, T. 1981. Evaluation of mortality factors in insect life table analysis. *Ecological Monographs* 51:495–505.

- RUPERT, J. R. 1997. The brood-rearing habitat, brood home range, and fecundity of the Snowy Plover (*Charadrius alexandrinus*) in coastal southern Texas. M.S. thesis, University of Texas-Pan American, Edinburg, TX.
- SAS INSTITUTE INC. 2004. SAS onlinedoc 9.1.2. SAS Institute Inc., Cary, NC. <<http://support.sas.com/onlinedoc/912/docMainpage.jsp>> (12 January 2007).
- SAUER, J. R., AND B. K. WILLIAMS. 1989. Generalized procedures for testing hypotheses about survival or recovery rates. *Journal of Wildlife Management* 53:137–142.
- SAWIN, R. S., M. W. LUTMAN, G. M. LINZ, and W. J. BLEIER. 2003. Predators on Red-winged Blackbird nests in eastern North Dakota. *Journal of Field Ornithology* 74:288–292.
- SCHMIDT, K. A., AND C. J. WHELAN. 1999. Nest placement and mortality: a random event in space and time. *Condor* 101:916–920.
- SCOTT, J. M., F. DAVIS, B. CSUTI, R. NOSS, B. BUTTERFIELD, C. GROVES, H. ANDERSON, S. CAICCO, F. D'ERCHIA, T. C. EDWARDS, JR., J. ULLIMAN, AND R. G. WRIGHT. 1993. Gap analysis: a geographic approach to protection of biological diversity. *Wildlife Monographs* 123:1–41.
- SEARCY, W.A., AND J. YASUKAWA. 1995. Polygyny and sexual selection in Red-winged Blackbirds. Princeton University Press, Princeton, NJ.
- SEBER, G. A. F. 1982. The estimation of animal abundance and related parameters. 2nd ed. Macmillan, New York, NY.
- SEDINGER, J. S. 1990. Effects of visiting Black Brant nests on egg and nest survival. *Journal of Wildlife Management* 54:437–443.
- SERVICE, P. M. 2000. Heterogeneity in individual mortality risk and its importance for evolutionary studies of senescence. *American Naturalist* 156:1–13.
- SHAFFER, T. L. 2004a. A unified approach to analyzing nest success. *Auk* 121:526–540.
- SHAFFER, T. L. 2004b. Logistic-exposure analyses of nest survival. Northern Prairie Wildlife Research Center, Jamestown, ND. <<http://www.npwrc.usgs.gov/resource/birds/nestsurv/index.htm>> (27 November 2006).
- SHOCHAT, E., M. A. PATTEN, D. W. MORRIS, D. L. REINKING, D. H. WOLFE, AND D. K. SHERROD. 2005a. Ecological traps in isodars: effects of tallgrass prairie management on bird nest success. *Oikos* 111:159–169.
- SHOCHAT, E., D. H. WOLFE, M. A. PATTEN, D. L. REINKING, AND S. K. SHERROD. 2005b. Tallgrass prairie management and bird nest success along roadsides. *Biological Conservation* 121:399–407.
- SIEPIELSKI, A. M., A. D. RODEWALD, AND R. H. YAHNER. 2001. Nest site selection and nesting success of the Red-eyed Vireo in central Pennsylvania. *Wilson Bulletin* 113:302–307.
- SILLETT, T. S., R. T. HOLMES, AND T. W. SHERRY. 2000. Impacts of a global climate cycle on population dynamics of a migratory songbird. *Science* 288: 2040–2042.
- SIMPSON, E. H. 1951. The interpretation of interaction in contingency tables. *Journal of the Royal Statistical Society, Series B* 13:238–241.
- SNEE, R. D. 1977. Validation of regression models: methods and examples. *Technometrics* 19: 415–428.
- SNIJDERS, T. A. B., AND R. J. BOSKER. 1999. Multilevel analysis: an introduction to basic and advanced multilevel modeling. Sage Publications, London, UK.
- SNOW, D.W. 1955. The breeding of Blackbird, Song Thrush and Mistle Thrush in Great Britain, Part III. nestling success. *Bird Study* 2:169–178.
- SPIEGELHALTER, D. J., A. THOMAS, N. G. BEST, AND W. R. GILKS. 1995. BUGS: Bayesian inference using Gibbs Sampling. MRC Biostatistics Unit and Imperial College of Science, Technology and Medicine, Cambridge, UK.
- STANLEY, T. R. 2000. Modeling and estimation of stage-specific daily survival probabilities of nests. *Ecology* 81:2048–2053.
- STANLEY, T. R. 2004a. Estimating stage-specific daily survival probabilities of nests when nest age is unknown. *Auk* 121:134–147.
- STANLEY, T. R. 2004b. When should Mayfield model data be discarded? *Wilson Bulletin* 116:267–269.
- STEPHENS, S. E. 2003. The influence of landscape characteristics on duck nesting success in the Missouri Coteau Region of North Dakota. Ph.D. dissertation, Montana State University, Bozeman, MT.
- STEPHENS, S. E., D. N. KOONS, J. J. ROTELLA, AND D. W. WILLEY. 2004. Effects of habitat fragmentation on avian nesting success: a review of the evidence at multiple spatial scales. *Biological Conservation* 115:101–110.
- STEPHENS, S. E., J. J. ROTELLA, M. S. LINDBERG, M. L. TAPER, AND J. K. RINGELMAN. 2005. Duck nest survival in the Missouri Coteau of North Dakota: landscape effects at multiple spatial scales. *Ecological Applications* 15:2137–2149.
- STERN, M. A., K. A. KRISTENSEN, AND J. F. MORAWSKI. 1990. Investigations of Snowy Plovers at Albert Lake, Lake Co., Oregon. The Nature Conservancy, Portland, OR.
- STURDIVANT, R. X. 2005. Goodness-of-fit in hierarchical logistic regression models. Ph.D. dissertation, University of Massachusetts, Amherst, MA.
- STURDIVANT, R. X., AND D. W. HOSMER. In press. A smoothed residual based goodness-of-fit statistic for logistic hierarchical regression models. *Computational Statistics and Data Analysis*.
- STURDIVANT, R. X., J. J. ROTELLA, AND R. E. RUSSELL. 2006. Code for a smoothed residual based goodness-of-fit statistic for nest-survival models. Montana State University, Bozeman, MT. <<http://www.montana.edu/rotella/nestsurv/>> (30 November 2006).

- SUTTER, G. C. 1997. Nest-site selection and nest-entrance orientation in Sprague's Pipit. *Wilson Bulletin* 109:462–469.
- TAPER, M. L., AND S. R. LELE. 2004. The nature of scientific evidence: a forward-looking synthesis. Pp. 527–551 in M. L. Taper, and S. R. Lele (editors). *The Nature of Scientific Evidence: Empirical, Statistical, and Philosophical Considerations*. University of Chicago Press, Chicago, IL.
- TEWKSURY, J. J., L. GARNER, S. GARNER, J. D. LLOYD, V. SAAB, AND T. E. MARTIN. 2006. Tests of landscape influence: nest predation and brood parasitism in fragmented ecosystems. *Ecology* 87:759–768.
- ATHERNEAU, T. M., AND P. M. GRAMBSCH. 2000. Modeling survival data: extending the Cox model. Springer, New York, NY.
- THOMPSON, F. R., III. 1994. Temporal and spatial patterns of breeding Brown-headed Cowbirds in the midwestern United States. *Auk* 111:979–990.
- THOMPSON, F. R., AND D. E. BURHANS. 2004. Differences in predators of artificial and real songbird nests: evidence of bias in artificial nest studies. *Conservation Biology* 18:373–380.
- THOMPSON, F. R., III, S. K. ROBINSON, T. M. DONOVAN, J. R. FAABORG, D. R. WHITEHEAD, AND D. R. LARSEN. 2000. Biogeographic, landscape, and local factors affecting cowbird abundance and host parasitism levels. Pp. 271–279 in J. N. M. SMITH, T. L. COOK, S. I. ROTHSTEIN, S. K. ROBINSON, and S. G. SEALY (editors). *Ecology and management of cowbirds and their hosts*. University of Texas Press, Austin, TX.
- THOMPSON, W. A. 1977. On the treatment of grouped observations in life studies. *Biometrics* 33: 463–470.
- TOMKINS, I. R. 1965. Wilson's Plover: some egg weights. *Oriole* 30:67–68.
- TOWNSEND, G. H. 1966. A study of waterfowl nesting on the Saskatchewan River delta. *Canadian Field-Naturalist* 80:74–88.
- TRENT, T. T., AND O. J. RONGSTAD. 1974. Home range and survival of cottontail rabbits in southwestern Wisconsin. *Journal of Wildlife Management* 38: 459–472.
- TSAI, W. Y., N. P. JEWELL, AND M. C. WANG. 1987. A note on the product-limit estimator under right-censoring and left truncation. *Biometrika* 74: 883–886.
- TURNBULL, B. W. 1976. The empirical distribution function with arbitrarily grouped, censored and truncated data. *Journal of the Royal Statistical Society, Series B* 38:290–295.
- UNITED STATES ARMY CORPS OF ENGINEERS. 1990–1997. Forest inventory field data for Corps fee title lands of the Mississippi River 9-foot channel navigation project. U.S. Army Corps of Engineers, St. Paul District, La Crescent, MN.
- UNITED STATES DEPARTMENT OF THE INTERIOR. 1993. Endangered and threatened wildlife and plants: determination of threatened status for the Pacific coast population of the western Snowy Plover. *Federal Register* 58:12864–12874.
- VICKERY, P. D., M. L. HUNTER, AND J. V. WELLS, JR. 1992. Evidence of incidental nest predation and its effects on nests of threatened grassland birds. *Oikos* 63:281–288.
- VOUNATSOU, P., AND A. F. M. SMITH. 1995. Bayesian analysis of ring-recovery data via Markov chain Monte Carlo simulation. *Biometrics* 51:687–708.
- WADE, P. R. 2000. Bayesian methods in conservation biology. *Conservation Biology* 14:1308–1316.
- WALTERS, C., AND D. LUDWIG. 1994. Calculations of Bayes posterior probability distributions for key population parameters. *Canadian Journal of Fisheries and Aquatic Sciences* 51:713–722.
- WAND, M. P., AND M. C. JONES. 1995. Kernel smoothing. Chapman and Hall/CRC, Boca Raton, FL.
- WARRINER, J. S., J. C. WARRINER, G. W. PAGE, AND L. E. STENZEL. 1986. Mating system and reproductive success of a small population of polygamous Snowy Plovers. *Wilson Bulletin* 98:15–37.
- WEHTJE, W., AND T. BARON. 1993. Population size and breeding success of the Western Snowy Plover on San Nicholas Island, 1993. Western Foundation for Vertebrate Zoology, Camarillo, CA.
- WEIDINGER, K. 2002. Interactive effects of concealment, parental behaviour and predators on the survival of open passerine nests. *Journal of Animal Ecology* 71:424–437.
- WELLER, M. W. 1956. A simple field candler for waterfowl eggs. *Journal of Wildlife Management* 20: 111–113.
- WESTERSKOV, K. 1950. Methods for determining the age of game bird eggs. *Journal of Wildlife Management* 14:56–67.
- WESTERSKOV, K. 1956. Age determination and dating nesting events in the Willow Ptarmigan. *Journal of Wildlife Management* 20:274–279.
- WHITE, G. C. 2005. Program MARK. Mark and recapture survival rate estimation. (Version 4.2). <<http://www.warnercnr.colostate.edu/~gwhite/mark/mark.htm>> (15 November 2006).
- WHITE, G. C., AND K. P. BURNHAM. 1999. Program MARK: survival estimation from populations of marked animals. *Bird Study* 46 (Supplement):120–138.
- WILLIAMS, B. K., J. D. NICHOLS, AND M. J. CONROY. 2002. *Analysis and management of animal populations: modeling, estimation, and decision making*. Academic Press, San Diego, CA.
- WILLIS, E. O. 1973. Survival rates for visited and unvisited nests of Bicolored Antbirds. *Auk* 90:263–267.
- WILLIS, E. O. 1981. Precautions in calculating nest success. *Ibis* 123:204–207.
- WILSON, R. R., AND R. J. COOPER. 1998. Acadian Flycatcher nest placement: does placement influence reproductive success? *Condor* 100:673–679.
- WILSON-JACOBS, R., AND E. C. MESLOW. 1984. Distribution, abundance, and nesting characteristics of Snowy

- Plovers on the Oregon Coast. Northwest Scientist 58:40–48.
- WINTER, M. 1999. Nesting biology of Dickcissels and Henslow's Sparrows in southwestern Missouri prairie fragments. Wilson Bulletin 111:515–527.
- WINTER, M., S. E. HAWKS, J. A. SHAFFER, AND D. H. JOHNSON. 2003. Guidelines for finding nests of passerine birds in tallgrass prairie. Prairie Naturalist 35:197–211.
- WINTER, M., D. H. JOHNSON, AND J. A. SHAFFER. 2005a. Variability in vegetation effects on density and nesting success of grassland birds. Journal of Wildlife Management 69:185–197.
- WINTER, M., D. H. JOHNSON, J. A. SHAFFER, AND W. D. SVEDARSKY. 2004. Nesting biology of three grassland passerines in the northern tallgrass prairie. Wilson Bulletin 116:211–223.
- WINTER, M., J. A. SHAFFER, D. H. JOHNSON, T. M. DONOVAN, W. D. SVEDARSKY, P.W. JONES, AND B. R. EULISS. 2005b. Habitat and nesting of LeConte's Sparrows in the northern tallgrass prairie. Journal of Field Ornithology 76:61–71.
- WINTON, B. R., D. M. LESLIE, JR., AND J. R. RUPERT. 2000. Breeding ecology and management of Snowy Plovers in north-central Oklahoma. Journal of Field Ornithology 71:573–584.
- WOLFINGER, R. D., AND M. O'CONNELL. 1993. Generalized linear mixed models: a pseudo-likelihood approach. Journal of Statistical Computation and Simulation 48:233–243.
- WOLFSON, L. J., J. B. KADANE, AND M. J. SMALL. 1996. Bayesian environmental policy decisions: two case studies. Ecological Applications 6:1056–1066.
- WOODROOFE, M. 1985. Estimating the distribution function with truncated data. Annals of Statistics 13: 163–177.
- YASUKAWA, J., AND W. A. SEARCY. 1995. Red-winged Blackbird (*Agelaius phoeniceus*). In A. Poole, and F. Gill, editors. The birds of North America, No. 184 The Academy of Natural Sciences, Philadelphia, PA and The American Ornithologists' Union, Washington, DC.